

GAS & ELECTRIC APPLIANCES 2025/26

Exquisite fires for elegant homes

Contents

| All about Wildfire 4-5 | | |
|--|--|--|
| Gas Fires | | |
| Some things you need to know6-7 | | |
| Function and Performance 8-9 | | |
| RAVEL High Efficiency (Glass Fronted) Gas Fires | | |
| Ravel 1500 Media Suite (Balanced Flue)10-11 for homes with no flue | | |
| Ravel 1720 Media Suite (Balanced Flue)12-13 for homes with no flue | | |
| Ravel 750 (Asti 750 Suite) Limestone14-15 for standard flues | | |
| Ravel 750 (Valentia Suite) Micro Marble 16-17 for standard flues | | |
| Ravel 800 (Asti 800 Suite) Limestone18-19 for standard flues | | |
| Ravel 800 (Siena Suite) Micro Marble20-21 for standard flues | | |
| Ravel 800 (HIW) 22-23 for standard flues | | |

| Ravel 800BF (Asti BF 800 Suite) Limestone 24-25 for standard flues |
|--|
| Ravel 600 (Asti 600 Suite) Limestone 26-27 for standard flues |
| Ravel 600 (Amalfi Suite) Micro Marble 28-29 for standard flues |
| Ravel 600 (HIW) |
| Ravel 600BF (Asti BF 800 Suite) Limestone32-33 for standard flues |
| Ravel 550 (Emelia Suite) Micro Marble 34-35 for standard flues |
| Ravel 550 HE Inset Stove (Emelia Suite)36-37 for standard flues |
| Ravel 400 HE (Salvador Suite)38-41 for standard flues |
| Ravel 400 Inset Stove (Salvador Suite)42-43 for standard flues |
| Ravel 400 HE (HIW) 44-45 for standard flues |
| Ravel 400 HE (Balanced Flue) |
| Ravel 400C Gas Stove 48-49 for standard flues |

| Ravel 400T Gas Stove (Asti 750 Chamber Suite) for standard flues | 50-51 |
|--|-------|
| Ravel 400 BF Gas Stoves | 52-53 |
| Standard Re High Efficie (Glass Fron Gas Fires | ncy |
| BF960SL (Balanced Flue)for homes with no flue | 54-55 |
| Thermes (Balanced Flue)for homes with no flue | 56-57 |
| Ellipsis (HIW / Hearth Mount) A range of options featuring the Ellipsis tri | |
| HE950L (Asti Suite) | 60-61 |
| HE950L (Seville Suite) for standard and precast flues | 62-63 |
| HE900 (Avellino Suite) for standard and precast flues | 64-65 |
| Cressida HEfor standard flues | 66-67 |
| Pesaro HE Slimline | 68-69 |

for standard and precast flues

| Open Front Gas Fires | ed |
|--|--------|
| Cavello XE Full Depth Convector Open Fronted for standard flues | 70-71 |
| Montese (Cadiz Suite) Radiant full Depth Open Fronted for standard and precast flues | 72-73 |
| Ceralis (Salerno suite) Radiant Open Fronted for standard & pre | |
| Trim Option & Technical Information for Gas Fire | l 1 |
| Trim Options | 76 |
| Technical information | |

for all gas appliances...

| | Electric Fires | |
|---|--|------------|
| Open Fronted Gas Fires 70-71 or Open Fronted | Some things you need to know | 78-79 |
| | Electric Fireplace Suites | |
| ite)72-73 Open Fronted for ast flues | HE 900E (Avellino Suite) for Flat Wall installation | 80-81 |
| ite)74-75 ted for standard & precast flues | HE 950LE (Seville Suite) for Flat Wall installation | 82-83 |
| | Ravel 400e inset (Black Nickel / Chrom | e) . 84-85 |
| Trim Options & Technical | Ravel 400e inset (Anthracite) | 86-87 |
| Information for Gas Fires | Ravel 400e (inset Stove) | 88-89 |
| | Ravel 400C e (Electric Stove) | 90-91 |

.77

| 78-79 | & Technical Information for Electric Fires | |
|-------|--|----|
| | Trim Options | 9 |
| 80-81 | Fireplace dimensions for Electric Fireplace Suites | .9 |
| 82-83 | | |

Ravel 400T e (Electric Stove)

... 92-93

2 | CONTENTS CONTENTS 5

Exquisite fires for elegant homes

Wildfire are dedicated to the design and manufacture of innovative and attractive fireplaces for British homes. At Wildfire we are committed to providing the highest quality heating products with a proven performance. Our innovative range of gas and electric fireplace suites have been tested to comply with the latest British and European standards and are manufactured in an ISO certified factory.



Wildfire are a multi award winning gas and electric appliance manufacturer.

The HE950L Seville Suite was named not only Gas fireplace suite of the year, but also 'Product of the Year' at the Hearth and Home exhibition.

New for the 2025/2026 season are the impressive Ravel 400e electric fires and the Ravel 400C/400T electric stove. Contact your dealer for a demonstration.

The Wildfire gas product range includes many products which have been designed and approved with efficiency at their core. In a world where energy costs have soared we believe it is important to obtain the absolute maximum from your heating appliance.

With this in mind the net efficiency of Wildfire open fronted gas fires are up to 62% and the glass fronted fires up to 87.2%. So when you purchase a Wildfire heating product you can be confident that you will be installing a product that will deliver in all installation scenarios. Here at Wildfire we are devoted to innovative design whilst maintaining maximum functionality. All Wildfire slide control gas fires feature the latest patented Direct Slide technology.

Wildfire is the premier gas and electric appliance brand from Hearth Products Limited. Hearth Products has been actively involved in design and technology for the fireplace industry across the globe since 2003. Our product technologies have been used in products across Europe, Australia and North America.



See full details of our product range at either www.wildfiregas.co.uk or www.wildfireelectric.co.uk

6 | ALL ABOUT WILDFIRE

Some things you need to know

Do I need a Convector or a Radiant Gas Fire?

It is important to know the difference between Radiant heat and Convected heat.

Radiant heat. In short, Radiant heat is emitted from all Wildfire appliances. This type of heat is actually infrared and heats objects in the room. Radiant heat is considered to be the most comfortable and natural form of heat.

Convected heat warms the air in the room. By passing the cooler air which enters the appliance at the bottom, through a heat exchanger, it warms up, then emits the hotter air back into the room from the top of the appliance.

Do I need a Glass Fronted Gas Fire?

A glass fronted fire will be more efficient and therefore more cost effective to run. Glass fronted appliances are usually more expensive to buy.

In general terms, it is usually more cost effective to purchase a glass fronted appliance if it is to be used more regularly as the efficiency savings will provide a quicker payback for the more expensive appliance. It is also important to remember that a glass fronted appliance will normally provide a similar amount of heat to an open fronted appliance, however, as it is more efficient, it is cheaper to run.




We guarantee* our gas fire products for a period of 5 years from installation and our customer service staff are always on hand to help you with any query you may have with your product.

Our 5 year limited guarantee* is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.



What type of flue do I have?



You will need to know what type of flue you have in your home. You will see these icons on each product page which will show if the appliance is suitable for your property. It may be that you have a Brick Chimney (otherwise known as a Class 1 flue), a Pre-Fabricated Metal System (which can be a Class 1 or Class 2 flue) or a Pre-Cast Flue (a flue which is built into the inner brickwork of your home). If you do not have a chimney or flue system in your home then you will need to look for a balanced flue gas fire which, if you already have a balanced flue gas fire in the property, is usually indicated by a flue terminal concealed within a basket on the outside of the property.

What type of gas do I need?







Propane

Wildfire appliances are all available in natural gas.

Wildfire products available in LPG:

Ravel 400 (CF) Ravel Stove 400C (CF) Ravel Stove 400T (CF) Ravel 600 (CF)

Ravel 800 (CF) Ravel 750 (CF)

What control options are available?



Manual Control



Slide Control

Manual Electronic Control

All Wildfire products are available with a Direct Slide option giving you the ease of reliable and simple operation. The slide control provides ignition, flame control and turns the fire off when you're finished. Most of the Wildfire range is available in manual control too — these fires have a removable cover at the base of the fire where the rotary control and igniter are situated.

Wildfire have now introduced electronic ignition on the majority of the manual control range. All slide control & manual electronic control products are powered by a single AA or AAA battery. No mains power is required.

Function & Performance

O.D.S

The Oxygen Depletion Sensor will automatically shut off the gas supply to the burner if the oxygen level in the room falls below a particular level. This is important as it will turn off the appliance should the flue become blocked or a lack of ventilation occurs.


F.S.D

The Flame Supervision Device is designed to sense the presence of a flame. Should the flame be extinguished for any reason then the safety device will cut off the supply of gas to the burner.

Optional Ezi-Grip Handle



Most Wildfire appliances can be fitted with an elderly/infirm handle to ease the lighting operation. This larger handle is much easier to access and move so if you think that this may be a requirement then talk to your retailer who will demonstrate the Ezi-Grip system. This handle is purchased as an accessory and is fitted at the point of installation of the appliance.









The Wildfire range is proud to now include a range of glass fronted high efficiency gas fires. These products feature the latest technology in high output gas fires and deliver the most effective way of heating your living room. The range includes both mid-depth convector and full depth convector products, both available with Direct Slide Technology. The Ravel 400 appliance can also be installed into a hole in the wall by fitting the 4 sided HIW trim (see pages 44 and 45) and with inset stove trim (see pages 42 and 43). The balanced flue gas fires are a high efficient appliance solution for homes with no chimney, the Thermes & Ravel 400 BF deliver heat, value for money, efficiency and are available with a large range of trim options.

Open fronted appliances are designed to operate with the revolutionary XE system which is only available from Hearth Products. This new efficiency system is designed to 'tune' the appliance to your fireplace flue, thereby ensuring you obtain the maximum output from the appliance.

Regulations demand that gas fires must be installed by a Registered Gas Safe Engineer. For further information regarding Gas Safe requirements contact Wildfire directly, where we will be happy to give you advice. Warranty will be void if the appliance is not fitted in accordance to these legal requirements.



FIRES | FUNCTION & PERFORMANCE | GAS FIRES | 11



∜ Slide FUEL BED

Log

Scan QR Code

WATCH VIDEO

GAS CONSUMPTION

75% EFFICIENCY





Heat Output

4.35kW


Heat Output

See page 77 for energy efficiency class

The Ravel 1500 MW fire provides an astonishing solution for a gas media wall.

This balanced flue appliance will provide the heart to your media wall. With impressive heat and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel Media Wall fire is a powerhouse of heat.

DIMENSIONS





- C) 1538mm D) 650mm
- E) 1473mm
- F) 407mm
- G) 27-60mm
- H) 120mm
- I) 703mm
- J) 13mm K) 498mm
- L) 355mm
- M) 339mm
- N) Ø116mm
- O) 253mm P) Ø230mm
- Q) 535mm
- R) 521-766mm
- S) 1623mm
- T) 825mm
- U) 260mm

TRIM DIMENSIONS



A) 1481mm B) 415mm

RAVEL 1500 MW | GAS FIRES | 13



Log

FUEL BED

GAS CONSUMPTION

Scan QR Code

WATCH VIDEO

75% EFFICIENCY



Heat Output


4.35kW

(Low)

See page 77 for energy efficiency class

The Ravel 1720 MW fire provides a wider version of the 1500MW suitable for the larger sized TV.

This balanced flue appliance will provide the heart to your media wall. With a massive heat output and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel 1720 Media Wall fire is a powerhouse of heat combined with ultra realism.



A) 1831mm B) 667mm G) 27-60mm

H) 120mm

C) 1538mm I) 703mm

D) 650mm J) 13mm

E) 1711mm F) 407mm

K) 498mm L) 355mm N) Ø116mm T) 1711mm

O) 253mm U) 104mm


P) Ø230mm V) 825mm Q) 535mm W) 260mm

R) 521-766mm

TRIM DIMENSIONS



LINEAR VENT DIMENSIONS



A) 1450mm

F) Ø116mm

G) 38mm

C) 1772mm

H) 11.5-16.5mm

I) 1627.5mm

14 GAS FIRES RAVEL 1720 MW F17

RAVEL 1720 MW | GAS FIRES | 15

J) 182mm



CONTROL FUEL BED FUEL Natural Gas Propane Slide Log WATCH VIDEO FLUE OPTIONS Brick Pre-Fabricated Scan QR Code NATURAL GAS LPG 7.7kW 5.4kW 7.5kW 4.8kW Heat Input (High) Heat Input (High) Heat Input (Low) Heat Input (Low) 5.7kW 3.8kW 5.8kW 3.4kW Heat Output (High) Heat Output (Low) Heat Output (High) Heat Output (Low)

The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

See page 77 for energy

efficiency class


83.5% EFFICIENCY

82.4% EFFICIENCY


The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Shown here in the Asti 750 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Asti suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

Dimensions

















L) 100mm

M) 380mm

- E) 820mm F) 840mm
- B) 1120mm
- C) 1280mm D) 60mm

A) 1300mm

J) 160mm K) 45mm

- - I) 40mm

Note: No ventilation required

A) 748mm B) 711mm

C) 18-32mm D) 280mm

F) 747mm

A) 807mm B) 770mm

C) 10mm D) 280mm E) 736mm

F) 747mm

EDGE TRIM G) 702mm

H) 740mm

STANDARD

I) 70mm

TRIM

G) 741mm H) 756mm

16 | GAS FIRES | RAVEL 750 | F15

RAVEL 750 | GAS FIRES | 17



FUEL BED Natural Gas Propane Log \ Slide **WATCH VIDEO** FLUE OPTIONS Brick Pre-Fabricated NATURAL GAS LPG 7.7kW 5.4kW 7.5kW 4.8kW Heat Input (High) Heat Input (High) Heat Input (Low) Heat Input (Low) 5.7kW 3.8kW 5.8kW 3.4kW Heat Output (High) Heat Output (Low) Heat Output (High) Heat Output (Low)

The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

82.4% EFFICIENCY

See page 77 for energy


efficiency class

83.5% EFFICIENCY


The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Valentia micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Valentia suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

Dimensions







- A) 1370mm
- B) 1150mm
- C) 1370mm
- D) 65mm
- E) 874mm
- F) 928mm
- G) 702mm
- H) 740mm
- I) 65mm
- J) 170mm
- K) 50mm
- L) 100mm M) 300mm

Note: The Valentia marble suite is only available to suit the Edge style trim as shown. Note: No ventilation required

18 | GAS FIRES | RAVEL 750 | F15






The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.


The Ravel 800 features the latest in under-log burner technology and is sure to impress with it's stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Shown here in the Asti Limestone surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

Dimensions

STANDARD










A) 798mm






- C) 18-32mm
- D) 278mm E) 439mm
- F) 797mm

EDGE TRIM

G) 406-408mm H) 790-792mm

I) 124mm

MANTEL DIMENSIONS



- A) 1307mm
- E) 594mm B) 864mm F) 927mm
- C) 1307mm
- D) 60mm
- J) 140mm K) 50mm
- L) 155mm M) 300mm
- G) 444-446mm
 - H) 806-808mm

STANDARD **TRIM**

I) 95mm

20 | GAS FIRES | RAVEL 800 | F12 RAVEL 800 | GAS FIRES | 21




FUEL BED Natural Gas Propane Log WATCH VIDEO **FLUE OPTIONS** NATURAL GAS LPG 4.3kW 6.6kW 4.6kW 6.6kW Heat Input (High) Heat Input (High) Heat Input (Low) Heat Input (Low) 4.9kW 3.2kW 5.0kW 3.0kW Heat Output (High) Heat Output (Low) Heat Output (High) Heat Output (Low) See page 77 for energy 82% EFFICIENCY 82% EFFICIENCY efficiency class


The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.


Shown here in the Siena Micro marble surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.


The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Dimensions














- E) 439mm
- F) 797mm

EDGE TRIM G) 406-408mm

H) 790-792mm

I) 119mm

MANTEL DIMENSIONS



- A) 1370mm B) 875mm
 - E) 614mm F) 928mm
- C) 1370mm D) 65mm
- J) 145mm K) 50mm
- M) 300mm
- G) 444-446mm H) 806-808mm


STANDARD **TRIM**

- I) 90mm
- L) 155mm

22 | GAS FIRES | RAVEL 800 | F12







Ravel 800 Installed as 'Hole in the wall'

with Edge trim,


(Standard wider trim shown inset). The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here installed with the Ravel 800 Edge trim directly into a fireplace wall for a minimalistic look.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Dimensions


EDGE




B) 415mm

- E) 439mm
- D) 278mm F) 797mm

STANDARD





- C) 10mm D) 278mm
- E) 439mm F) 797mm






The Ravel 800 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 800 (conventional flue).


The Ravel 800BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 800BF Limestone suite, this fire is only available with the Edge trim, for the sleek trimless look (supplied with product).

Dimensions



MANTEL DIMENSIONS



- A) 1307mm
- F) 928mm B) 875mm J) 225mm
- C) 1370mm
- D) 60mm
- E) 614mm
- K) 155mm L) 105mm
- I) 119mm

G) 406-408mm


H) 790-792mm

Note: Dimension K (155mm) is the mantel rebate required for flat wall installation with a 2" cavity.

M) 340mm

26 GAS FIRES RAVEL 800 BF F19 RAVEL 800 BF | GAS FIRES | 27





The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

See page 77 for energy

efficiency class

Heat Output (High)

Heat Output (Low)

86% EFFICIENCY

Heat Output (High) Heat Output (Low)


83% EFFICIENCY


The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 600 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

Dimensions









- B) 598mm
- D) 280mm
- E) 665mm F) 597mm

EDGE TRIM ONLY





- A) 1210mm B) 1032mm
- C) 1220mm
- D) 60mm E) 742mm
 - I) 72mm

J) 145mm

F) 780mm

G) 590mm

H) 588mm

Note: The Asti 600 Limestone suite is only available to suit the Edge style trim as shown.


RAVEL 600 | GAS FIRES | 29

K) 45mm

L) 60mm

M) 380mm





The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


See page 77 for energy

efficiency class

Shown here in the Amalfi 600 micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

Dimensions






B) 598mm

E) 665mm

D) 280mm

F) 597mm





F) 873mm

G) 590mm B) 1080mm H) 590mm

C) 1270mm D) 65mm

E) 765mm

I) 72mm J) 170mm

Note: The Amalfi marble suite is only available to suit the Edge style trim as shown.

86% EFFICIENCY

K) 50mm

L) 65mm

M) 300mm



Natural Gas Propane

WATCH VIDEO

FLUE OPTIONS




Brick Pre-Fabricated

GAS CONSUMPTION - NATURAL





4.7kW








83% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG







Heat Output (High) Heat Output (Low)

86% EFFICIENCY


The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here installed as a Hole in the Wall fire with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.


Dimensions

EDGE



- A) 598mm B) 598mm
- E) 665mm F) 597mm

STANDARD



- A) 747mm B) 747mm
- C) 10mm
- E) 665mm D) 280mm F) 597mm

RAVEL 600 | GAS FIRES | 33



Natural Gas WATCH VIDEO

FLUE OPTIONS

Balanced Flue

Scan QR Code

GAS CONSUMPTION

76% EFFICIENCY



Heat Input





Heat Output


See page 77 for energy efficiency class

The Ravel 600 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 600 (conventional flue).


The Ravel 600BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 600BF Limestone suite, this fire is only available with the Edge trim, for the sleek trimless look (supplied with product).

Dimensions



MANTEL DIMENSIONS



- A) 1210mm B) 1032mm
 - F) 780mm G) 590mm
 - H) 588mm
- C) 1220mm D) 60mm
- J) 255mm E) 742mm
- K) 155mm L) 60mm
- M) 380mm

Note: Dimension K (155mm) is the mantel rebate required for flat wall installation with a 2" cavity.

I) 72mm

34 GAS FIRES RAVEL 600 BF F20 RAVEL 600 BF | GAS FIRES | 35





2.1kW

Heat Output

See page 77 for energy efficiency class

Scan QR Code

MANTEL FINISH

OPTIONS

The Ravel 550 log fire is a revolutionary product.

2.9kW

3.6kW


4.7kW

Heat Input

(High)

This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney builders opening. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned of independently to keep the flame picture alive when running on low.

This installation requires a back panel with specific opening sizes and a 75mm rebate. Normally an appliance of this stature would require building work and installation of a lintel. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.



A) 614mm Trim Width Trim Height B) 611mm

C) 560mm-580mm Back Panel Opening Width


D) 585mm-600mm Back Panel Opening Height

E) 76mm **Mantel Rebate**

Fire Width at Builders Opening F) 406mm Fire Height at Builders Opening G) 565mm

Fire Depth into Builders Opening H) 117mm

MANTEL DIMENSIONS



B) 1115mm C) 1320mm D) 560-580mm

E) 585-600mm F) 200mm

A) 1320mm

G) 400mm

H) 75mm

I) 60mm

36 GAS FIRES RAVEL 550 HE F06

RAVEL 550 HE | GAS FIRES | 37





85% EFFICIENCY

2.1kW

Heat Output (Low)

3.6kW



STANDARD MANTEL

See page 77 for energy efficiency class

FINISH OPTIONS







STOVE HANDLE OPTIONS








SLIDE LEVER OPTIONS











A) 660mm

D) 689mm

E) 120mm F) 403mm


G) 559mm H) 152mm


C) 144mm

DIMENSIONS

B) 635mm

MANTEL DIMENSIONS





H) 75mm

A) 1320mm B) 1115mm

I) 60mm

The Ravel 550 log fire is a revolutionary product.


2.9kW

The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low.

This 22" appliance installs into any standard 16" x 22" back panel and is shrouded with an aluminium high definition stove trim, so it's a perfect upgrade from your old 16" fire without changing the fireplace. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

38 | GAS FIRES | RAVEL 550 HE INSET STOVE | F06






The Ravel 400 HE Log 16"x 22" is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Black Nickel and Chrome or the striking Anthracite version. Also available as 4 sided HIW. See page 44.

DIMENSIONS




- A) 512mm B) 403mm
 - F) 186mm G) 502mm

E) 197mm

- C) 610mm
- D) 555mm


MANTEL DIMENSIONS



- A) 1370mm
- E) 230mm F) 512mm
- B) 1370mm C) 1160mm
 - G) 610mm
- D) 400mm

RAVEL 400 HE | GAS FIRES | 41






The Ravel 400 HE Log 16"x 22" is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Anthracite or Black Nickel and Chrome version. Also available as 4 sided HIW. See page 44.

DIMENSIONS




- A) 512mm B) 403mm
 - F) 186mm G) 502mm

E) 197mm

- C) 610mm
- D) 555mm


MANTEL DIMENSIONS



- A) 1370mm
- E) 230mm F) 512mm
- B) 1370mm C) 1160mm
 - G) 610mm
- D) 400mm

RAVEL 400 HE | GAS FIRES | 43







See page 77 for energy efficiency class

The Ravel 400 can now also be supplied as a slide control inset stove fronted product.

Employing the Ravel stove clean lines, our engineers have developed an aluminium, light weight trim which will transform your Ravel 400 into an inset gas log stove. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

DIMENSIONS





A) 560mm F) 97mm

G) 65mm H) 198mm

D) 557mm I) 70mm

E) 186mm J) 502mm

*Note: For mantel details see page 39.

44 GAS FIRES RAVEL 400 INSET STOVE F10







The Ravel 400 can now also be supplied as a slide control hole in the wall product.

The extremely successful black nickel and chrome frame has been used to create this four sided design, allowing a space saving and economical solution for your living room. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

DIMENSIONS





- F) 198mm B) 665mm G) 502mm

E) 33mm

C) 556mm

See page 77 for energy efficiency class

D) 186mm



Balanced Flue

CONTROL

Slide

FUEL BED

Log

Natural Gas

RAVEL TRIM OPTIONS

GAS CONSUMPTION













SLIDE LEVER OPTIONS



Ezi-Grip

STANDARD MANTEL FINISH OPTIONS



Chrome





Heat Output



83% EFFICIENCY





See page 77 for energy efficiency class

The Ravel 400 is now available in balanced flue format. With the same intricately detailed logs and unique underlog burners this appliance is the perfect solution for economic heating in homes without a flue.

The product is available with the two standard Ravel 16" trims in Black Nickel and Chrome or Anthracite but can also be configured to be installed as a hole in the wall (HIW) see page 44, or as an inset stove—see page 42. The Ravel 400BF also employs the same controllability as the conventional flue version, allowing the fire to be turned to a low setting whilst still retaining an impressive flame height.

DIMENSIONS





F) 290-580mm

B) 394mm F*) 290-780mm G) Ø152mm

C) 611mm D) 553mm


H) 400mm

E) 197mm I) 206mm

J) 463.5mm

Note: F dimensions apply to optional longer flue kit (F-181XX2TKS)

48 GAS FIRES RAVEL 400 HE BF | F16



RAVEL 400C GAS STOVE | GAS FIRES | 51

A) 464mm B) 584mm

C) 127mm


D) 502mm E) 100mm F) 289mm

G) 315mm

H) 67mm

I) 515mm





The Ravel 400T gas stove is a beautiful timeless addition to any room. The product features all the benefits of the proven Ravel burner system.

The stove is easy to control with a simple slide lever located below the glass screen. It features a light weight aluminium casting which provides crisp and clean lines, aesthetics are at the heart of this product. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low. And, just like the Ravel 400C, it can be installed into Class 1, Class 2 and precast flues*. The Ravel 400T is also available as a balanced flue model (see pages 52-53).

See page 77 for energy


efficiency class


84% EFFICIENCY

Also in available in electric. See electric fires section at the rear of the brochure.

82% EFFICIENCY

DIMENSIONS






G) 320mm I) 515mm

E) 100mm

*Precast flue kit is ordered separately.

CHAMBER DIMENSIONS



A) 1020mm

B) 450mm

D) 25mm

dimensions can be found on page 15. The package includes mantel, hearth, chamber and back hearth.

The mantel

The Asti Chamber Suite can be ordered as a package with either the 400C or 400T gas stoves.



Scan QR Code

WATCH VIDEO

FLUE OPTIONS

STOVE HANDLE OPTIONS







Note: Satin handle is supplied as standard on 400C models. Black handle is an optional extra.

GAS CONSUMPTION

83% EFFICIENCY

1.9kW

Heat Output










See page 77 for energy efficiency class

The hugely successful Ravel 400 gas stoves will now be available as Balanced Flue versions. Both the 400C and 400T models can now be installed into a property with no

The products feature all the benefits of the Ravel gas fire range, with under-log burners and a turndown function which keeps the flame picture alive on low setting. A false vertical flue kit is also available as an option to create the authentic look of a chimney installation. The Asti 750 Chamber Suite is also available to order as a complete package – see page 51 for full details.

Dimensions






- C) 502mm
- H) 483.5mm

I) 320mm

400C BF



B) 580mm

- D) 100mm
- G) Ø151.5mm E) 290-580mm
- C) 502mm F) 289mm
- H) 483.5mm I) 320mm

Note: A vertical false flue kit is also available as an optional extra.



CONTROL













GAS CONSUMPTION





(High)







Heat Output

Heat Output (Low)

See page 77 for energy efficiency class


2.1kW

The BF960SL balanced flue gas fire is suitable for homes without a chimney.


This versatile and efficient slimline hole in the wall fire can be installed onto any outside wall of the home and generates a contemporary and stylish centrepiece for the room. This appliance can be installed directly into a cavity wall yet provides probably the deepest fuel bed effect for a product of its type. Coupled with a reflective black glass lining, this gas fire delivers the ultimate dancing flame effect and ceramic log layout.

Dimensions





APPLIANCE



- A) 1198mm
- G) 29mm H) 183mm

I) 151mm

J) 523mm


- B) 666mm C) 1138mm
- D) 608mm
- E) 174mm
- K) 862mm F) 13mm L) 332mm
- M) 270mm -725mm
- N) 400mm
- O) 206mm

56 GAS FIRES BF960SL F11 BF960SL | GAS FIRES | 57



CONTROLS

Slide Manual Electronic Coal



STANDARD TRIM OPTIONS



Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.

CREATIVE TRIM OPTIONS







Black



PROFILE TRIM OPTIONS





SLIDE LEVER OPTION



Ezi-Grip



Black Profile

See page 77 for energy efficiency class

Black

Profile




Heat Input

4.2kW

(High)



Heat Output



The Thermes is our high efficiency balanced flue gas appliance.

If you have no flue or chimney in your home you will need a balanced flue gas fire. The Thermes is a room sealed high efficiency gas fire that really delivers. This fire flues through an external wall and can be installed in most new or existing fireplaces.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options above and in more detail on page 76.



(Low)

86% EFFICIENCY

MANUAL CONTROL


GAS CONSUMPTION

SLIDE CONTROL



Heat Output

DIMENSIONS



A) 510mm F) 290-570mm B) 406mm

G) Ø151.5mm

C) 605mm

H) 405mm D) 552mm I) 206mm

E) 191mm

J) 463.5mm

Ellipsis



The Ellipsis 'Hole in the wall' with Chrome/Black trim. Open fronted in













FUEL

FUEL BEDS **Open fronted only











GAS CONSUMPTION

For inputs and outputs and

(REFER TO MONTESE - PAGE 72)

(REFER TO CRESSIDA - PAGE 66)

OPEN FRONTED


GLASS FRONTED

efficiency classes refer to the relevant pages as below:

OPEN FRONTED

Dimensions

- A) 512mm B) 403mm
- D) 553mm E) 173mm
- C) 660mm (HIW)
 - F) 104mm G) 358mm
- C) 607mm (3 Sided)



GLASS FRONTED

- A) 512mm
- B) 403mm
- C) 660mm (HIW)
- C) 607mm (3 Sided)
- D) 553mm
- E) 198mm
- F) 174mm
- G) 358mm

FLUE OPTIONS CONTROLS Manual Electronic*

ELLIPSIS TRIM OPTIONS



4 Sided

Satin/Black





4 Sided Chrome/Black



Satin/ Black

Chrome/ Black

Also available in 3 sided for hearth mounted version

This beautifully styled hole in the wall appliance produces a powerful output.

Its warmth will transform your living environment. The Ellipsis is suitable for Class 1 and Class 2 flue types and is available in Coal or Pebble**. The Ellipsis is available in open fronted or glass fronted HE format. The Ellipsis open fronted has a pebble option. This product is only available as manual control.

The Wildfire Ellipsis combines style, efficiency and space saving to provide the ultimate solution for an open fronted gas or glass

fronted fire. If you are looking for realism coupled with powerful heat whilst retaining efficiency then this is the product for you.

NOTE: GRANITE SLIPS **NOT** INCLUDED




FLUE OPTIONS Brick Pre-Fabricated *When ordered as PCF model GAS CONSUMPTION 75% EFFICIENCY 3kW 4.6kW 1.9kW **Heat Output Heat Output** (Low) See page 77 for energy efficiency class

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.

Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.


DIMENSIONS



- D) 165mm (Standard) E) 55mm (PCF)
 - F) 553mm

- B) 520mm D) 220mm (PCF) C) 620mm E) 110mm (Standard)

MANTEL DIMENSIONS



- E) 225mm (Standard)
- E) 280mm (PCF) F) 165mm (Standard)
- D) 400mm F) 220mm (PCF)
- - J) 99mm

G) 803mm

H) 624mm

I) 60mm

62 GAS FIRES HE 950L ASTI SUITE F09




FLUE OPTIONS STANDARD MANTEL FINISH OPTIONS Brick Pre-Fabricated *When ordered as PCF model Natural Gas Seville Suite available with or without Grey inner border. GAS CONSUMPTION 75% EFFICIENCY 1.9kW **Heat Output**

See page 77 for energy efficiency class

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.

Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

DIMENSIONS




A) 800mm D) 165mm (Standard) E) 55mm (PCF)

F) 553mm

B) 520mm D) 220mm (PCF)

C) 620mm E) 110mm (Standard)

MANTEL DIMENSIONS



A) 1320mm E) 235mm (Standard) G) 803mm

H) 624mm


B) 1320mm E) 290mm (PCF)

C) 967mm F) 165mm (Standard)


D) 400mm F) 220mm (PCF)

64 GAS FIRES HE 950L F09 HE 950L | GAS FIRES | 65





DIMENSIONS




D) 165mm (Standard) E) 55mm (PCF) F) 553mm

B) 640mm D) 220mm (PCF)

C) 740mm E) 110mm (Standard)

MANTEL DIMENSIONS



A) 1320mm E) 235mm (Standard) G) 663mm

B) 1320mm E) 290mm (PCF)

C) 1159mm F) 165mm (Standard)


D) 400mm F) 220mm (PCF)

The HE900 is the flagship model from Wildfire, the ultimate in fireplace technology.

The HE900 gas fire is revolutionary. It has been developed to create a European format appliance with expansive viewing glass that can be installed into a conventional 16" x 22" fireplace opening without any modification, or precast flue where the PCF version is ordered. This patent pending product is designed to fit UK fireplace openings with no need to alter the fabric of the building.

The HE900 features a stunning log and ember bed, easily controlled with a slide operating system which comes as standard. Finally, the ultimate fireplace solution has arrived...

The Avellino micro marble suite is available in white or white with grey border.



CONTROLS

FUEL











Profile Profile Profile

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.

Profile

87% EFFICIENCY

5.3kW

GAS CONSUMPTION

3.2kW

2.3kW

CREATIVE TRIM OPTIONS














SLIDE LEVER OPTIONS



See page 77 for energy efficiency class

DIMENSIONS






E) 198mm

B) 403mm


C) 607mm G) 358mm



F) 174mm

D) 557mm

68 GAS FIRES CRESSIDA HE F05







FUEL




GAS CONSUMPTION

Heat Output

84% EFFICIENCY

DIMENSIONS



B) 352mm

F) 111mm G) 350mm

STANDARD TRIM OPTIONS

CREATIVE TRIM OPTIONS



purchased without front bars. For more details see page 74.

Black















Profile


Black

See page 77 for energy efficiency class





1.7kW



A) 512mm

C) 607mm

D) 553mm







Profile

PROFILE TRIM OPTIONS

Black

Profile

SLIDE LEVER OPTIONS

Profile

Ezi-Grip

(High)



E) 128mm

70 | GAS FIRES | PESARO HE | F04



CONTROLS

Slide Manual Electronic

FUEL

6.75kW

3.5kW

DIMENSIONS

GAS CONSUMPTION

1.8kW

PROFILE TRIM OPTIONS

Profile

SLIDE LEVER OPTIONS



STANDARD TRIM OPTIONS

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.

CREATIVE TRIM OPTIONS







Black











Profile





Black

Profile



Ezi-Grip

See page 77 for energy efficiency class

The Cavello XE is a realistic open fronted gas fire with a powerful convecting heat exchanger to boost performance.

The Cavello is supplied with the XE System as standard, see page 9 for more details. This convector appliance will produce enough heat to satisfy most of the largest living rooms. It is available in manual and slide control with options of coal and pebble fuel bed effects.

The Wildfire Cavello XE can be supplied with a range of trims to suit the style that you are trying to achieve. See full trim options on page 76.

Profile

A) 512mm

E) 198mm

B) 402mm C) 607mm F) 130mm G) 355mm

D) 553mm

72 | GAS FIRES | CAVELLO XE | F03



FLUE OPTIONS









STANDARD MANTEL

FINISH OPTIONS

with or without grey inner border.

available

FUEL

STANDARD TRIM OPTIONS

Black





Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.

PROFILE TRIM OPTIONS



Profile

SLIDE LEVER OPTIONS





Black Profile




Black Profile

Black

Profile

DIMENSIONS



- E) 173mm B) 403mm F) 104mm
- C) 607mm D) 553mm
- G) 328mm

GAS CONSUMPTION





See page 77 for energy efficiency class



Heat Input (Low)



Heat Output (High) Heat Output (Low)

A) 1220mm B) 1220mm


F) 45/75mm G) 413mm

C) 1095mm D) 400mm

H) 565mm

E) 210mm

MONTESE | GAS FIRES | 75



FLUE OPTIONS

CONTROLS











Available with grey inner border. See similar detail on the Cadiz suite - page 48. Grey border option not available on 42"



Black

Black





STANDARD TRIM OPTIONS

Front bars are optional. For more details see page 74.

PROFILE TRIM OPTIONS





Profile

SLIDE LEVER OPTIONS



Profile

Black Profile


Black

Profile


DIMENSIONS

STANDARD MANTEL

FINISH OPTIONS



- A) 512mm
- B) 352mm
- C) 607mm



A) 1070mm (42") 1220mm (48")

E) 210mm F) 45/75mm B) 1070mm (42")

1220mm (48")

C) 1050mm (42") H) 565mm

1095mm (48")

E) 123mm


F) 65mm

G) 300mm

D) 553mm

GAS CONSUMPTION

1.7kW



Heat Input (High)



Heat Output (High) Heat Output (Low)

D) 400mm

G) 413mm

Trim Options

Choose the trim and fret options from the selection on this page. The Standard and Creative trim and fret options will fit MOST of the products in this brochure. The Ellipsis trim will fit manual control fires only. For further fret options consult your retailer.

SLIDE LEVER OPTIONS



STANDARD TRIM OPTIONS





Contemporary









Chrome























CREATIVE TRIM OPTIONS





Bl. Nickel/Black

PROFILE TRIM OPTIONS





Profile

Anthracite



Note: Both available as 4 sided HIW



Profile

ELLIPSIS TRIM OPTIONS



Satin/Black



Chrome/ Black



Black



4 Sided Chrome/ Black



RAVEL 550 TRIM OPTIONS



Brass/Black



Satin/Black













Chrome

Bl. Nickel/



AN ADDITIONAL 25MM SPACER IS AVAILABLE TO SUIT ALL 16" X 22" FIRES.

16" SPACER OPTION

RAVEL TRIM OPTIONS

Technical Information

Use the chart below to quickly check the options available for each product contained in this brochure. You will also find the flue types which products can be installed into. For further information consult the manufacturer's installation instructions or ask your local retailer for further advice.

| PAGE NO. | FIRES | COAL OPTION | PEBBLE OPTION | LOG OPTION | MANUAL CONTROL | SLIDE CONTROL | PRE-CAST FLUE | CLASS II FLUE | CLASS I FLUE | BALANCED FLUE | XE INCLUDED | XE OPTIONAL | HE | LPG OPTION | EEI |
|----------|-------------------------|----------------|------------------|---------------|-------------------|------------------|------------------|------------------|-----------------|------------------|----------------|----------------|-------------|---------------|-----|
| 10-11 | RAVEL MW 1500 | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | E |
| 12-13 | RAVEL MW 1720 | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | E |
| 14-17 | RAVEL 750 | | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | ✓ | D |
| 18-23 | RAVEL 800 | | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | ✓ | D |
| 24-25 | RAVEL 800 BF | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | D |
| 26-31 | RAVEL 600 | | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | ✓ | D |
| 32-33 | RAVEL 600 BF | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | D |
| 34-37 | RAVEL 550 | | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | | D |
| 38-45 | RAVEL 400 | | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | ✓ | D |
| 46-47 | RAVEL 400 BF | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | D |
| 48-51 | RAVEL 400C & 400T STOVE | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | ✓ | D |
| 52-53 | RAVEL 400C/T BF STOVE | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | D |
| 54-55 | BF960SL | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | C |
| 56-57 | THERMES BF | ✓ | | | ✓ | ✓ | | | | ✓ | | | ✓ | | C |
| 58-59 | ELLIPSIS HIW | ✓ | ✓ * | | ✓ | | | ✓ | ✓ | | | ✓ | ✓ ** | | |
| 60-63 | HE950L (STD & PCF) | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | E |
| 64-65 | HE900 (STD & PCF) | | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | E |
| 66-67 | CRESSIDA HE | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | | C |
| 68-69 | PESARO HE | ✓ | | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | D |
| 70-71 | CAVELLO XE | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | F |
| 72-73 | MONTESE | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | F |
| 74-75 | CERALIS | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | F |

*Open fronted only **Glass fronted only

Some things you need to know

The Ravel range of electric fires provide up to 2kW of instantaneous heat at the push of a button. Fully operated by remote control, supplied as standard, with the peace of mind of a manual override on the fire should you ever need it.

Boasting a realistic dancing flame picture that can be easily altered to suit your mood, with options to change the speed, colour and brightness... all with the added luxury of a warming underlog glow. Once you have discovered your favourite settings these can be conveniently stored into memory.

Utilising the latest LED technology that delivers a safe, convenient and affordable option, the Ravel range allows you the peace of mind to enjoy the warming flame effect with minimal running costs. Why not add the optional plug in LED lighting strip to add a glow to your chamber or fireplace, creating even more ambience in the heart of your living room.




- Choice of 2 freestanding stove designs
- Choice of 3 inset fire trims
- Full remote control
- Flame speed control
- Glowing logs
- Favourite setting storage
- Crackling logs audio
- 1kW and 2 kW heat settings
- Thermostatically controlled
- Flame dimming control
- Flame colour options
- Optional spacer
- Optional LED plug in ambient lighting



The Wildfire Electric range is guaranteed against manufacturing faults and component failures. The back up is provided by our own team of Wildfire engineers and have a guarantee period of either 1 or 5 years from purchase date.

Ravel electric fires come with a standard 5 year limited warranty which covers full parts and labour for the first two years and a parts warranty for the following 3years, providing you with full peace of mind. See individual product page for the relevant guarantee period.





The multifunction remote control handset provides ultimate controllability for your electric appliance. From 'Normal' operating mode where the appliance will run continually until the required temperature is set, to daily or weekly timer settings to give you complete control over the heating function.

A countdown timer is also included so the unit can be automatically powered down after a predetermined length of time.

This beautifully styled remote features an internal thermostat to ensure it senses the right temperature in the room. An LCD display features all of the control functions available including flame setting and flame intensity.
















STANDARD MANTEL FINISH OPTIONS

Available with grey inner border - see similar detail on the Seville Suite - page 62.









A) 1320mm

B) 1320mm

DIMENSIONS

- E) 235mm F) 660mm

G) 740mm

The HE900E Avellino is a 52" flat to wall marble electric fireplace suite.

This fully electronic remote control fireplace offers 7 day thermostatic operation. The suite is available in all white or white with a distinctive grey highlight. A variety of flame effects provide a great solution to suit the mood for the day.


1 year guarantee (see page 78).

82 | ELECTRIC FIRES | HE 900E HE 900E | ELECTRIC FIRES | 83



Remote Log Electric STANDARD MANTEL FINISH OPTIONS

DIMENSIONS



- E) 235mm
- F) 800mm

C) 967mm

The HE950LE Seville is a 52" flat to wall marble electric fireplace suite.

This incredible fireplace has been launched to complement the already successful, multi award winning HE950L Seville gas suite. It is available in the same flawless micro marble colour options, white or white with grey slip highlights. The appliance is fully thermostatic and has timers to allow heating to take place at the appropriate times.

1 year guarantee (see page 78).

84 | ELECTRIC FIRES | HE 950LE HE 950LE | ELECTRIC FIRES | 85



CONTROL

FUEL BED

FUEL







TRIM OPTIONS







Scan QR Code


WATCH VIDEO


Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

Following on the great success of the Ravel 400 gas fire range the Ravel 400e electric inset fire is the latest addition to the comprehensive Wildfire appliance family.

Whether it's a contemporary or traditional look required the decorative trim options have been carefully designed to grace any living room setting. See the next page for the anthracite model. Along with the latest LED flame picture and innovative glowing log technology this fire will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.

DIMENSIONS





- D) 552mm
- E) 398mm B) 611mm C) 231mm F) 197mm

*Optional Spacer

G) 498mm

H) 600.5mm

I) 45mm



CONTROL

FUEL BED













TRIM OPTIONS





Bl.Nickel/ Anthracite Chrome






Scan QR Code


Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

Following on the great success of the Ravel 400 gas fire range the Ravel 400e electric inset fire is the latest addition to the comprehensive Wildfire appliance family.


Whether it's a contemporary or traditional look required the decorative trim options have been carefully designed to grace any living room setting. See the previous page for the black nickel and chrome model. Along with the latest LED flame picture and innovative glowing log technology this fire will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.

DIMENSIONS





- D) 552mm
- E) 398mm B) 611mm
- C) 231mm F) 197mm



*Optional Spacer

G) 498mm

H) 600.5mm

I) 45mm

88 | ELECTRIC FIRES | RAVEL 400e | E10 RAVEL 400e | ELECTRIC FIRES | 89



FUEL BED

FUEL









Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.




DIMENSIONS





- D) 552mm
- E) 398mm B) 611mm
- C) 231mm F) 197mm



*Optional Spacer

G) 498mm

H) 600.5mm

I) 45mm



FUEL BED


FUEL



Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

WATCH VIDEO Scan QR Code DIMENSIONS

A) 502mm B) 580mm C) 320mm



A log burning stove has often been at the heart of most homes, offering a natural warming centre piece for the living space. Wildfires new Ravel 400Ce electric stove has been lovingly developed to emulate that look.

Creating the feel and sound of a real stove but without the mess. Utilizing the latest LED technology that creates an impressive realistic flame picture with glowing logs shrouded with a choice of either a contemporary clean line door or a classic tracery door design. Easy to use full remote control is standard with a manual over ride allowing on/off, heat settings, crackling log sound and flame colour / speed control at your fingertips. The appliance can also be fully controlled using an APP on your mobile phone.

RAVEL 400Ce GAS STOVE | ELECTRIC FIRES | 93




FUEL BED



Electric

Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information.

WATCH VIDEO Scan QR Code DIMENSIONS



- A) 502mm
- B) 580mm
- C) 320mm

The 400Te Electric Stove is the more traditional version of the popular 400C stove design. The new Ravel 400 series electric stoves have been lovingly developed to emulate the look of a real stove but without any of the mess.

Utilizing the latest LED technology that creates an impressive realistic flame picture with glowing logs shrouded with a choice of either a contemporary clean line door or a classic tracery door design. Easy to use full remote control is standard with a manual over ride allowing on/off, heat settings, crackling log sound and flame colour / speed control at your fingertips. The appliance can also be fully controlled using an APP on your mobile phone.

94 | ELECTRIC FIRES | RAVEL 400Te GAS STOVE | E13 RAVEL 400Te GAS STOVE | ELECTRIC FIRES | 95

Marble and Trim options electrical

| | AVELLINO HE900E | SEVILLE HE950LE | RAVEL 400e 16" ELECTRIC | RAVEL 400e ELECTRIC INSET STOVE | RAVEL 400Ce & 400Te ELECTRIC STOVE |
|--------------------------|--------------------|--------------------|----------------------------|---------------------------------------|--|
| MARBLE COLOURS | W / WG | W / WG | N/A | N/A | N/A |
| TRIM OPTION | As pictured | As pictured | An / BN | Stove Trim | N/A |
| REMOTE CONTROL | Yes | Yes | Yes | Yes | Yes |
| THERMOSTATIC | Yes | Yes | Yes | Yes | Yes |
| PROGRAMMABLE TIMER | Yes | Yes | Sleep Timer | Sleep Timer | Sleep Timer |
| FLAME COLOUR SETTINGS | 3 | 3 | 3 | 3 | 3 |
| FLAME INTENSITY SETTINGS | 5 | 5 | 5 | 5 | 5 |
| MAX HEATER OUTPUT | 2kW | 2kW | 2kW | 2kW | 2kW |
| SPACER OPTION | N/A | N/A | See product page | See product page | See product page |





TRIM OPTIONS





| PAGE NO. | ELECTRIC FIREPLACE SUITE | HEARTH WIDTH | HEARTH DEPTH | SHELF WIDTH | SHELF DEPTH | OVERALL HEIGHT |
|-------------|--------------------------|-----------------|-----------------|----------------|----------------|-------------------|
| 80-81 | AVELLINO HE900E | 1320mm | 400mm | 1320mm | 290mm | 1159mm |
| 82-83 | SEVILLE HE950LE | 1320mm | 400mm | 1320mm | 290mm | 967mm |





Marble Colours: W: White WG: White with Grey Slips Trim Options: An: Anthracite BN: Black Nickel/Black



All Enquiries sales@hearthproducts.co.uk

Telephone 01785 225401

Fax 01785 225501

HEARTH PRODUCTS

Hearth Products Ltd, Unit 14 Brindley Close, Tollgate Industrial Estate, Stafford ST16 3SU



www.wildfiregas.co.uk www.wildfireelectric.co.uk

Scan the QR code with your mobile device to be directed to the Wildfire website.

All details in this brochure are for illustrative purposes only. We reserve the right to change details due to constant product improvement. Always check specifications with your retailer prior to purchase.











