WILDFIRE

SPREADING INNOVATION

GAS & ELECTRIC APPLIANCES / FIREPLACES 2026/27

Exquisite fires for elegant homes

Contents

All about Wildfire 4-5

Gas Fires

Some things you need to know 6-7

Function and Performance 8-9



RAVEL
High Efficiency (Glass Fronted) Gas Fires

Ravel 1500 Media Suite (Balanced Flue) 10-11
for homes with no chimney (Must be fitted to an external wall)

Ravel 1720 Media Suite (Balanced Flue) 12-13
for homes with no chimney (Must be fitted to an external wall)

Ravel 750 (Asti 750 Suite) Limestone 14-15
for standard flues

Ravel 750 (Valentia Suite) Micro Marble 16-17
for standard flues

Ravel 800 (Asti 800 Suite) Limestone 18-19
for standard flues

Ravel 800 (Siena Suite) Micro Marble 20-21
for standard flues

Ravel 800 (HIW) 22-23
for standard flues

Ravel 800BF (Asti BF 800 Suite) Limestone 24-25
for homes with no chimney (Must be fitted to an external wall)

Ravel 600 (Asti 600 Suite) Limestone 26-27
for standard flues

Ravel 600 (Amalfi Suite) Micro Marble 28-29
for standard flues

Ravel 600 (HIW) 30-31
for standard flues

Ravel 600BF (Asti BF 800 Suite) Limestone 32-33
for homes with no chimney (Must be fitted to an external wall)

Ravel 550 (Emelia Suite) Micro Marble 34-35
for standard flues

Ravel 550 HE Inset Stove (Emelia Suite) 36-37
for standard flues

Ravel 400 HE (Salvador Suite) 38-41
for standard flues

Ravel 400 Inset Stove (Salvador Suite) 42-43
for standard flues

Ravel 400 HE (HIW) 44-45
for standard flues

Ravel 400 HE (Balanced Flue) 46-47
for homes with no chimney (Must be fitted to an external wall)

Ravel 400C Gas Stove 48-49
for standard flues

Ravel 400T Gas Stove (Asti 750 Chamber Suite) 50-51
for standard flues

Ravel 400 BF Gas Stoves 52-53
for homes with no chimney (Must be fitted to an external wall)

Ravel 500C Gas Stove 54-55
for standard flues



RAVEL CL Range
High Efficiency (Glass Fronted) Gas Fires

Ravel 600CL (Asti 600CL Suite) Limestone 56-57
for standard flues

Ravel 600CL (HIW) 58-59
for standard flues

Ravel 890CL (Asti 890CL Suite) Limestone 60-61
for standard flues

Ravel 890CL (HIW) 62-63
for standard flues



Standard Range High Efficiency (Glass Fronted) Gas Fires

BF960SL (Balanced Flue) 64-65
for homes with no chimney (Must be fitted to an external wall)

Ellipsis HIW 66-67
A range of options featuring the Ellipsis trim

HE950L (Asti Suite) 68-69
for standard and precast flues

HE950L (Seville Suite) 70-71
for standard and precast flues

HE900 (Avellino Suite) 72-73
for standard and precast flues

Cressida HE 74-75
for standard flues

Pesaro HE Slimline 76-77
for standard and precast flues



Open Fronted Gas Fires

Cavello XE 78-79
Full Depth Convector Open Fronted for standard flues

Montese (Cadiz Suite) 80-81
Radiant full Depth Open Fronted for standard and precast flues

Ceralis (Salerno suite) 82-83
Radiant Open Fronted for standard & precast flues

Trim Options & Technical Information for Gas Fires

Trim Options 84
Choose a trim for your Gas Fire

Technical information for all gas appliances 85

Electric Fires

Some things you need to know 86-87



Electric Fireplace Suites

HE 900E (Avellino Suite) 88-89
for Flat Wall installation

HE 950LE (Seville Suite) 90-91
for Flat Wall installation

Ravel 400e inset (Black Nickel / Chrome) 92-93

Ravel 400e inset (Anthracite) 94-95

Ravel 400e (inset Stove) 96-97

Ravel 400C e (Electric Stove) 98-99

Ravel 400T e (Electric Stove) 100-101

Trim Options & Technical Information for Electric Fires

Trim Options 102
Choose a trim for your Electric Fire

Exquisite fires for elegant homes

Wildfire are dedicated to the design and manufacture of innovative and attractive fireplaces for British homes. At Wildfire we are committed to providing the highest quality heating products with a proven performance. Our innovative range of gas and electric fireplace suites have been tested to comply with the latest British and European standards and are manufactured in an ISO certified factory.



Wildfire are a multi award winning gas and electric appliance manufacturer.

The HE950L Seville Suite was named not only Gas fireplace suite of the year, but also 'Product of the Year' at the Hearth and Home exhibition.

New for the 2026/2027 season are the impressive Ravel 600CL, Ravel 890CL and the Ravel 500C Gas Stove. Contact your dealer for a demonstration.

The Wildfire gas product range includes many products which have been designed and approved with efficiency at their core. In a world where energy costs have soared we believe it is important to obtain the absolute maximum from your heating appliance.

With this in mind the net efficiency of Wildfire open fronted gas fires are up to 62% and the glass fronted fires up to 87.2%. So when you purchase a Wildfire heating product you can be confident that you will be installing a product that will deliver in all installation scenarios. Here at Wildfire we are devoted to innovative design whilst maintaining maximum functionality. All Wildfire slide control gas fires feature the latest patented Direct Slide technology.

Wildfire is the premier gas and electric appliance brand from Hearth Products Limited. Hearth Products has been actively involved in design and technology for the fireplace industry across the globe since 2003. Our product technologies have been used in products across Europe, Australia and North America.

See full details of our product range at either **www.wildfiregas.co.uk** or **www.wildfireelectric.co.uk**



HE950L Seville Suite

Some things you need to know

Do I need a Convector or a Radiant Gas Fire?

It is important to know the difference between Radiant heat and Convected heat.

Radiant heat. In short, Radiant heat is emitted from all Wildfire appliances. This type of heat is actually infrared and heats objects in the room. Radiant heat is considered to be the most comfortable and natural form of heat.

Convected heat warms the air in the room. By passing the cooler air which enters the appliance at the bottom, through a heat exchanger, it warms up, then emits the hotter air back into the room from the top of the appliance.

Do I need a Glass Fronted Gas Fire?

A glass fronted fire will be more efficient and therefore more cost effective to run. Glass fronted appliances are usually more expensive to buy.

In general terms, it is usually more cost effective to purchase a glass fronted appliance if it is to be used more regularly as the efficiency savings will provide a quicker payback for the more expensive appliance. It is also important to remember that a glass fronted appliance will normally provide a similar amount of heat to an open fronted appliance, however, as it is more efficient, it is cheaper to run.



We guarantee* our gas fire products for a period of 5 years from installation and our customer service staff are always on hand to help you with any query you may have with your product.

Our 5 year limited guarantee* is managed directly by Wildfire with our own team of Gas Safe engineers. Choose Wildfire for style, performance, reliability, value and peace of mind.



What type of flue do I have?


Brick Chimney


Pre-Fabricated


Pre-Cast


Balanced Flue

You will need to know what type of flue you have in your home. You will see these icons on each product page which will show if the appliance is suitable for your property. It may be that you have a Brick Chimney (otherwise known as a Class 1 flue), a Pre-Fabricated Metal System (which can be a Class 1 or Class 2 flue) or a Pre-Cast Flue (a flue which is built into the inner brickwork of your home). If you do not have a chimney or flue system in your home then you will need to look for a balanced flue gas fire which, if you already have a balanced flue gas fire in the property, is usually indicated by a flue terminal concealed within a basket on the outside of the property.

What control options are available?


Manual Control


Slide Control


Manual Electronic Control

All Wildfire products are available with a Direct Slide option giving you the ease of reliable and simple operation. The slide control provides ignition, flame control and turns the fire off when you're finished. Most of the Wildfire range is available in manual control too — these fires have a removable cover at the base of the fire where the rotary control and igniter are situated.

Wildfire have now introduced electronic ignition on the majority of the manual control range. All slide control & manual electronic control products are powered by a single AA or AAA battery. No mains power is required.



What type of gas do I need?


Natural Gas



Propane

Wildfire appliances are all available in natural gas.

Wildfire products available in LPG:
Ravel 400 (CF)
Ravel Stove 400C (CF)
Ravel Stove 400T (CF)
Ravel 600 (CF)
Ravel 800 (CF)
Ravel 750 (CF)

Function & Performance

O.D.S

The Oxygen Depletion Sensor will automatically shut off the gas supply to the burner if the oxygen level in the room falls below a particular level. This is important as it will turn off the appliance should the flue become blocked or a lack of ventilation occurs.

F.S.D

The Flame Supervision Device is designed to sense the presence of a flame. Should the flame be extinguished for any reason then the safety device will cut off the supply of gas to the burner.

Optional Ezi-Grip Handle



Most Wildfire appliances can be fitted with an elderly/infirm handle to ease the lighting operation. This larger handle is much easier to access and move so if you think that this may be a requirement then talk to your retailer who will demonstrate the Ezi-Grip system. This handle is purchased as an accessory and is fitted at the point of installation of the appliance.



HE

The Wildfire range is proud to now include a range of glass fronted high efficiency gas fires. These products feature the latest technology in high output gas fires and deliver the most effective way of heating your living room. The range includes both mid-depth convector and full depth convector products, both available with Direct Slide Technology. The Ravel 400 appliance can also be installed into a hole in the wall by fitting the 4 sided HIW trim (see pages 44 and 45) and with inset stove trim (see pages 42 and 43). The balanced flue gas fires are a high efficient appliance solution for homes with no chimney, the Ravel 600 BF, 800 BF & Ravel 400 BF deliver heat, value for money, efficiency and are available with a large range of trim options.

XE

Open fronted appliances are designed to operate with the revolutionary XE system which is only available from Hearth Products. This new efficiency system is designed to 'tune' the appliance to your fireplace flue, thereby ensuring you obtain the maximum output from the appliance.

gas safe REGISTER

Regulations demand that gas fires must be installed by a Registered Gas Safe Engineer. For further information regarding Gas Safe requirements contact Wildfire directly, where we will be happy to give you advice. Warranty will be void if the appliance is not fitted in accordance to these legal requirements.



RAVEL 1500 Media Wall

Balanced Flue



FLUE OPTION

Balanced Flue

Must be fitted to an external wall

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

GAS CONSUMPTION

75% EFFICIENCY


9.6kW	6.9kW	6.5kW	4.35kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class

The Ravel 1500 MW fire provides an astonishing solution for a gas media wall.

This balanced flue appliance will provide the heart to your media wall. With impressive heat and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel Media Wall fire is a powerhouse of heat.

DIMENSIONS



A) 1591mm
B) 677mm
C) 1538mm
D) 650mm
E) 1473mm
F) 407mm
G) 27-60mm
H) 120mm
I) 703mm
J) 13mm
K) 498mm
L) 355mm
M) 339mm
N) Ø116mm
O) 253mm
P) Ø230mm
Q) 535mm
R) 521-766mm
S) 1623mm
T) 825mm
U) 260mm

TRIM DIMENSIONS



A) 1481mm
B) 415mm

RAVEL 1720 Media Wall

Balanced Flue



FLUE OPTION

Balanced Flue

Must be fitted to an external wall

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

GAS CONSUMPTION

75% EFFICIENCY


9.6kW	6.9kW	6.5kW	4.35kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class

The Ravel 1720 MW fire provides a wider version of the 1500MW suitable for the larger sized TV.

This balanced flue appliance will provide the heart to your media wall. With a massive heat output and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel 1720 Media Wall fire is a powerhouse of heat combined with ultra realism.

DIMENSIONS




A) 1831mm	G) 27-60mm	M) 339mm	S) 1623mm
B) 667mm	H) 120mm	N) Ø116mm	T) 1711mm
C) 1538mm	I) 703mm	O) 253mm	U) 104mm
D) 650mm	J) 13mm	P) Ø230mm	V) 825mm
E) 1711mm	K) 498mm	Q) 535mm	W) 260mm
F) 407mm	L) 355mm	R) 521-766mm	

TRIM DIMENSIONS



A) 1721mm
B) 415mm

LINEAR VENT DIMENSIONS



A) 1450mm	D) 98mm	G) 38mm	J) 182mm
B) 70mm	E) 124mm	H) 11.5-16.5mm	
C) 1772mm	F) Ø116mm	I) 1627.5mm	

RAVEL 750 | (Asti 750 Suite) Limestone



Ravel 750 Edge trim, installed into the Asti 750 Limestone Suite. Inset: Ravel 750 shown with standard (wide) trim.

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

Propane

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

WATCH VIDEO

Scan QR Code

NATURAL GAS

7.7kW	5.4kW
Heat Input (High)	Heat Input (Low)
5.7kW	3.8kW
Heat Output (High)	Heat Output (Low)

82.4% EFFICIENCY

See page 85 for energy efficiency class

LPG

7.5kW	4.8kW
Heat Input (High)	Heat Input (Low)
5.8kW	3.4kW
Heat Output (High)	Heat Output (Low)

83.5% EFFICIENCY


The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 750 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Asti suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.


Dimensions

EDGE




A) 748mm
B) 711mm
C) 18-32mm
D) 280mm
E) 736mm
F) 747mm

STANDARD




A) 807mm
B) 770mm
C) 10mm
D) 280mm
E) 736mm
F) 747mm

MANTEL DIMENSIONS



A) 1300mm
B) 1120mm
C) 1280mm
D) 60mm
E) 820mm
F) 840mm
J) 160mm
K) 45mm



L) 100mm
M) 380mm

EDGE TRIM

G) 702mm
H) 740mm
I) 70mm

STANDARD TRIM

G) 741mm
H) 756mm
I) 40mm

Note: No ventilation required

RAVEL 750 | (Valentia Suite) Micro Marble



Ravel 750 Edge trim, installed into the Valentia Marble Suite. Inset: Ravel 750 shown with standard (wide) trim.

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

WATCH VIDEO

Scan QR Code

NATURAL GAS

7.7kW	5.4kW
Heat Input (High)	Heat Input (Low)
5.7kW	3.8kW
Heat Output (High)	Heat Output (Low)

82.4% EFFICIENCY

LPG

7.5kW	4.8kW
Heat Input (High)	Heat Input (Low)
5.8kW	3.4kW
Heat Output (High)	Heat Output (Low)

83.5% EFFICIENCY

See page 85 for energy efficiency class


The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Valentia micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Valentia suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.


Dimensions

EDGE




A) 748mm
B) 711mm
C) 18-32mm
D) 280mm
E) 736mm
F) 747mm

STANDARD



A) 807mm
B) 770mm
C) 10mm
D) 280mm
E) 736mm
F) 747mm

MANTEL DIMENSIONS



A) 1370mm
B) 1150mm
C) 1370mm
D) 65mm
E) 874mm
F) 928mm
G) 702mm
H) 740mm
I) 65mm
J) 170mm
K) 50mm
L) 100mm
M) 300mm

Note: The Valentia marble suite is only available to suit the Edge style trim as shown.

Note: No ventilation required

RAVEL 800 | (Asti 800 Suite) Limestone



Ravel 800 Edge trim, installed into the Asti Limestone Suite. (Standard trim shown inset).

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

WATCH VIDEO

Scan QR Code

NATURAL GAS

6.6kW	4.6kW	4.9kW	3.2kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82% EFFICIENCY

See page 85 for energy efficiency class

LPG

6.6kW	4.3kW	5.0kW	3.0kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82% EFFICIENCY


The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with it's stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti Limestone surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.


Dimensions

EDGE




A) 798mm
B) 415mm
C) 18-32mm
D) 278mm
E) 439mm
F) 797mm

STANDARD



A) 798mm
B) 415mm
C) 18-32mm
D) 278mm
E) 439mm
F) 797mm

MANTEL DIMENSIONS



A) 1307mm
B) 864mm
C) 1307mm
D) 60mm
E) 594mm
F) 927mm
J) 140mm
K) 50mm
L) 155mm
M) 300mm

EDGE TRIM

G) 406-408mm
H) 790-792mm
I) 124mm

STANDARD TRIM

G) 444-446mm
H) 806-808mm
I) 95mm

RAVEL 800 | (Siena Suite) Micro Marble



Ravel 800 Edge trim, installed into the Siena Marble Suite (Standard trim shown inset).

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

WATCH VIDEO

Scan QR Code

NATURAL GAS

6.6kW	4.6kW	4.9kW	3.2kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82% EFFICIENCY

LPG

6.6kW	4.3kW	5.0kW	3.0kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82% EFFICIENCY

See page 85 for energy efficiency class


The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here in the Siena Micro marble surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Dimensions

EDGE




A) 798mm
B) 415mm
C) 18-32mm
D) 278mm
E) 439mm
F) 797mm

STANDARD



A) 857mm
B) 474mm
C) 10mm
D) 278mm
E) 439mm
F) 797mm

MANTEL DIMENSIONS



A) 1370mm
B) 875mm
C) 1370mm
D) 65mm
E) 614mm
F) 928mm
J) 145mm
K) 50mm
L) 155mm
M) 300mm

EDGE TRIM

G) 406-408mm
H) 790-792mm
I) 119mm

STANDARD TRIM

G) 444-446mm
H) 806-808mm
I) 90mm

RAVEL 800 | HIW





Ravel 800 Installed as 'Hole in the wall' with Edge trim, (Standard wider trim shown inset).

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

Propane

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

WATCH VIDEO

Scan QR Code

NATURAL GAS

6.6kW	4.6kW	4.9kW	3.2kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82% EFFICIENCY

See page 85 for energy efficiency class

LPG

6.6kW	4.3kW	5.0kW	3.0kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82% EFFICIENCY


The Ravel 800 is one of the most exciting developments from Wildfire.
This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here installed with the Ravel 800 Edge trim directly into a fireplace wall for a minimalistic look.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Dimensions

EDGE



A) 798mm
B) 415mm
C) 18-32mm
D) 278mm
E) 439mm
F) 797mm

STANDARD



A) 857mm
B) 474mm
C) 10mm
D) 278mm
E) 439mm
F) 797mm

RAVEL 800BF | (Asti BF 800 Suite) Limestone



Ravel 800 BF with edge trim shown in Asti BF Limestone Suite.

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

FLUE OPTIONS

Balanced Flue

Must be fitted to an external wall

WATCH VIDEO

Scan QR Code

GAS CONSUMPTION

80% EFFICIENCY

6.6kW	4.4kW	4.8kW	3.0kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class


The Ravel 800 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 800 (conventional flue).

The Ravel 800BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 800BF Limestone suite, this fire is only available with the Edge trim, for the sleek trimless look (supplied with product).


Dimensions

EDGE



A) 798mm
B) 415mm
C) 18-32mm
D) 294mm
E) 480mm
F) 797mm
G) 370-660mm
H) 211mm
I) 520mm
J) Ø151mm
K) 380mm

MANTEL DIMENSIONS



A) 1307mm
B) 875mm
C) 1307mm
D) 60mm
E) 614mm
F) 928mm
J) 225mm
K) 155mm
L) 105mm
M) 340mm
G) 406-408mm
H) 790-792mm
I) 119mm

Note: Dimension K (155mm) is the mantel rebate required for flat wall installation with a 2" cavity.

RAVEL 600 | (Asti 600 Suite) Limestone



Ravel 600 Edge trim, installed into the Asti 600 Limestone Suite.

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

Propane

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

GAS CONSUMPTION - NATURAL

6.8kW	Heat Input (High)
4.7kW	Heat Input (Low)
5.1kW	Heat Output (High)
3.3kW	Heat Output (Low)

83% EFFICIENCY

GAS CONSUMPTION - LPG

6.7kW	Heat Input (High)
4.4kW	Heat Input (Low)
5.3kW	Heat Output (High)
3.1kW	Heat Output (Low)

86% EFFICIENCY

See page 85 for energy efficiency class


The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 600 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.


Dimensions

EDGE



A) 598mm
B) 598mm
C) 18-32mm
D) 280mm
E) 665mm
F) 597mm

EDGE TRIM ONLY



A) 1210mm
B) 1032mm
C) 1220mm
D) 60mm
E) 742mm
F) 780mm
G) 590mm
H) 588mm
I) 72mm
J) 145mm
K) 45mm
L) 60mm
M) 380mm

Note: The Asti 600 Limestone suite is only available to suit the Edge style trim as shown.

RAVEL 600 | (Amalfi Suite) Micro marble



HE

Ravel 600 Edge trim, installed into the Amalfi 600 micro marble Suite

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

Propane

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

GAS CONSUMPTION - NATURAL

6.8kW	Heat Input (High)
4.7kW	Heat Input (Low)
5.1kW	Heat Output (High)
3.3kW	Heat Output (Low)

83% EFFICIENCY

See page 85 for energy efficiency class

GAS CONSUMPTION - LPG

6.7kW	Heat Input (High)
4.4kW	Heat Input (Low)
5.3kW	Heat Output (High)
3.1kW	Heat Output (Low)

86% EFFICIENCY


The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Amalfi 600 micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

Dimensions


EDGE TRIM



A) 598mm
B) 598mm
C) 18-32mm
D) 280mm
E) 665mm
F) 597mm

MANTEL FINISH

White



A) 1270mm
B) 1080mm
C) 1270mm
D) 65mm
E) 765mm
F) 873mm
G) 590mm
H) 590mm
I) 72mm
J) 170mm
K) 50mm
L) 65mm
M) 300mm

Note: The Amalfi marble suite is only available to suit the Edge style trim as shown.

RAVEL 600 | HIW





Ravel 600 Edge trim, installed as HIW.
Inset: Ravel 600 shown with standard (wide) trim.

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

GAS CONSUMPTION - NATURAL

6.8kW	4.7kW
Heat Input (High)	Heat Input (Low)
5.1kW	3.3kW
Heat Output (High)	Heat Output (Low)

83% EFFICIENCY

See page 85 for energy efficiency class

GAS CONSUMPTION - LPG

6.7kW	4.4kW
Heat Input (High)	Heat Input (Low)
5.3kW	3.1kW
Heat Output (High)	Heat Output (Low)

86% EFFICIENCY


The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here installed as a Hole in the Wall fire with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.


Dimensions

EDGE



A) 598mm
B) 598mm
C) 18-32mm
D) 280mm
E) 665mm
F) 597mm

STANDARD



A) 747mm
B) 747mm
C) 10mm
D) 280mm
E) 665mm
F) 597mm

RAVEL 600BF | (Asti BF 600 Suite) Limestone



HE

Ravel 600 BF with edge trim shown in Asti BF Limestone Suite.

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

FLUE OPTIONS

Balanced Flue

Must be fitted to an external wall

WATCH VIDEO

Scan QR Code

GAS CONSUMPTION

76% EFFICIENCY

6.4kW	4.2kW	4.4kW	3.0kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class


The Ravel 600 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 600 (conventional flue).


The Ravel 600BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 600BF Limestone suite, this fire is **only available with the Edge trim,** for the sleek trimless look (supplied with product).

Dimensions


EDGE






A) 598mm
B) 598mm
C) 18-32mm
D) 294mm
E) 662mm
F) 597mm
G) 370-660mm
H) 211mm
I) 520mm
J) Ø151mm
K) 563mm

MANTEL DIMENSIONS





A) 1210mm
B) 1032mm
C) 1220mm
D) 60mm
E) 742mm
F) 780mm
G) 590mm
H) 588mm
I) 72mm
J) 255mm
K) 155mm
L) 60mm
M) 380mm

Note: Dimension K (155mm) is the mantel rebate required for flat wall installation with a 2" cavity.

RAVEL 550 HE | (Emelia Suite) Micro marble



HE

Ravel 550 HE shown with Contemporary Black Nickel/ Black trim, installed into the Emelia suite in white.

This fire requires a fireplace suite with a 3" rebate and a back panel opening of a specific size. Talk to your retailer for full details.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

*Do not confuse with pre-cast

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas

RAVEL 550 HE TRIM OPTIONS



Brass/ Black | Satin/ Black | Chrome/ Black | Bl.Nickel/ Black | Anthracite

SLIDE LEVER OPTIONS



Brass | Chrome | Black Nickel | Black

Ezi-Grip lever is not an option for this model


GAS CONSUMPTION



Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

85% EFFICIENCY

STANDARD MANTEL FINISH OPTIONS




White | *Grey

WATCH VIDEO

Scan QR Code

See page 85 for energy efficiency class

DIMENSIONS




A)	614mm	Trim Width
B)	611mm	Trim Height
C)	560mm-580mm	Back Panel Opening Width
D)	585mm-600mm	Back Panel Opening Height
E)	76mm	Mantel Rebate
F)	406mm	Fire Width at Builders Opening
G)	565mm	Fire Height at Builders Opening
H)	117mm	Fire Depth into Builders Opening

The Ravel 550 log fire is a revolutionary product.

This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney builders opening. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned of independently to keep the flame picture alive when running on low.

This installation requires a back panel with specific opening sizes and a 75mm rebate. Normally an appliance of this stature would require building work and installation of a lintel. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

MANTEL DIMENSIONS



A)	1320mm
B)	1115mm
C)	1320mm
D)	560-580mm
E)	585-600mm
F)	200mm
G)	400mm
H)	75mm
I)	60mm

RAVEL 550 HE Inset Stove | (Emelia Suite)



HE Ravel 550 HE shown installed into the Emelia suite in white.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

*Do not confuse with pre-cast

CONTROL

- Slide


FUEL BED

- Log

FUEL

- Natural Gas

STOVE HANDLE OPTIONS



Satin Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

SLIDE LEVER OPTIONS



Chrome Black

Ezi-Grip lever is not an option for this model

WATCH VIDEO

Scan QR Code

GAS CONSUMPTION



Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

85% EFFICIENCY


STANDARD MANTEL FINISH OPTIONS



White *Grey

See page 85 for energy efficiency class

DIMENSIONS




A) 660mm
B) 635mm
C) 144mm
D) 689mm
E) 120mm
F) 403mm
G) 559mm
H) 152mm

The Ravel 550 log fire is a revolutionary product.

The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low.

This 22" appliance installs into any standard 16" x 22" back panel and is shrouded with an aluminium high definition stove trim, so it's a perfect upgrade from your old 16" fire without changing the fireplace. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

MANTEL DIMENSIONS



A) 1320mm
B) 1115mm
C) 1320mm
D) 405mm
E) 570mm
F) 200mm
G) 400mm
H) 75mm
I) 60mm

RAVEL 400 HE | (Salvador Suite) Micro Marble



HE

Ravel HE Log shown with Black Nickel / Chrome trim, installed into the Salvador White Suite

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

*Do not confuse with pre-cast

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas
- Propane

RAVEL TRIM OPTIONS



Bl.Nickel/ Chrome | Anthracite

SLIDE LEVER OPTIONS



Chrome | Black Nickel | Black | Ezi-Grip

MANTEL FINISH

White

GAS CONSUMPTION NATURAL

83% EFFICIENCY

4.8kW	3.0kW	3.6kW	2.1kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


GAS CONSUMPTION LPG

83% EFFICIENCY

4.3kW	2.5kW	3.2kW	1.8kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


See page 85 for energy efficiency class

DIMENSIONS



A) 512mm
B) 403mm
C) 610mm
D) 555mm
E) 197mm
F) 186mm
G) 502mm

MANTEL DIMENSIONS



A) 1370mm
B) 1370mm
C) 1160mm
D) 400mm
E) 230mm
F) 512mm
G) 610mm

The Ravel 400 HE Log 16”x 22” is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Black Nickel and Chrome or the striking Anthracite version.
Also available as 4 sided HIW. See page 44.

RAVEL 400 HE | (Salvador Suite) Micro Marble



Ravel HE Log shown with Anthracite trim, installed into the Salvador White Suite

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

*Do not confuse with pre-cast

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

Propane

RAVEL TRIM OPTIONS



Bl.Nickel/ Chrome

Anthracite

SLIDE LEVER OPTIONS



Chrome

Black Nickel

Black

Ezi-Grip

MANTEL FINISH

White

GAS CONSUMPTION NATURAL

83% EFFICIENCY

4.8kW	3.0kW	3.6kW	2.1kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

GAS CONSUMPTION LPG

83% EFFICIENCY

4.3kW	2.5kW	3.2kW	1.8kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


See page 85 for energy efficiency class

The Ravel 400 HE Log 16”x 22” is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.


This fire is available with two trim styles, the Anthracite or Black Nickel and Chrome version.
Also available as 4 sided HIW. See page 44.

DIMENSIONS



A) 512mm
B) 403mm
C) 610mm
D) 555mm
E) 197mm
F) 186mm
G) 502mm

MANTEL DIMENSIONS



A) 1370mm
B) 1370mm
C) 1160mm
D) 400mm
E) 230mm
F) 512mm
G) 610mm

RAVEL 400 HE Inset Stove | (Salvador Suite) Micro Marble



Ravel HE Inset Stove shown installed into the Salvador Suite (white).

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated *Do not confuse with pre-cast
- Nat gas only Balanced Flue

See page 47 for appliance dims

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas
- LPG Propane

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

SLIDE LEVER OPTIONS



Chrome



Black Nickel




Black



Ezi-Grip

GAS CONSUMPTION NATURAL

83% EFFICIENCY



Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

GAS CONSUMPTION LPG


83% EFFICIENCY




Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

See page 85 for energy efficiency class

DIMENSIONS





A) 560mm
B) 630mm
C) 584mm
D) 557mm
E) 186mm
F) 97mm
G) 65mm
H) 198mm
I) 70mm
J) 502mm

*Note: For mantel details see page 39.

The Ravel 400 HE can now also be supplied as a slide control inset stove fronted product.

Employing the Ravel stove clean lines, our engineers have developed an aluminium, light weight trim which will transform your Ravel 400 into an inset gas log stove. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

RAVEL 400 HE | (HIW)



HE

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

*Do not confuse with pre-cast

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas
- Propane

RAVEL TRIM OPTIONS



Bl.Nickel/ Chrome | Anthracite

SLIDE LEVER OPTIONS



Chrome | Black Nickel | Black | Ezi-Grip

GAS CONSUMPTION — NATURAL

83% EFFICIENCY

4.8kW	3.0kW	3.6kW	2.1kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


GAS CONSUMPTION — LPG


83% EFFICIENCY

4.3kW	2.5kW	3.2kW	1.8kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class

DIMENSIONS





A) 510mm
B) 665mm
C) 556mm
D) 186mm
E) 33mm
F) 198mm
G) 502mm

The Ravel 400 can now also be supplied as a slide control hole in the wall product.

The extremely successful black nickel and chrome frame has been used to create this four sided design, allowing a space saving and economical solution for your living room. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

RAVEL 400 HE | Balanced Flue



Ravel 400 BF shown with Black Nickel / Chrome trim. Featuring Salvador micromarble fireplace in white (see page 39 for details)

FLUE OPTIONS

Balanced Flue

Must be fitted to an external wall

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

RAVEL TRIM OPTIONS



Bl.Nickel/ Chrome | Anthracite | Inset Stove (see page 42) | HIW (see page 44)

SLIDE LEVER OPTIONS



Chrome | Black Nickel | Black | Ezi-Grip

GAS CONSUMPTION



Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

83% EFFICIENCY

STANDARD MANTEL FINISH OPTIONS




White


See page 85 for energy efficiency class

The Ravel 400 is now available in balanced flue format. With the same intricately detailed logs and unique underlog burners this appliance is the perfect solution for economic heating in homes without a flue.

The product is available with the two standard Ravel 16" trims in Black Nickel and Chrome or Anthracite but can also be configured to be installed as a hole in the wall (HIW) see page 44, or as an inset stove—see page 42. The Ravel 400BF also employs the same controllability as the conventional flue version, allowing the fire to be turned to a low setting whilst still retaining an impressive flame height.

DIMENSIONS





A) 510mm
B) 394mm
C) 611mm
D) 553mm
E) 197mm
F) 290-580mm
F*) 290-780mm
G) Ø152mm
H) 400mm
I) 206mm
J) 463.5mm

Note: F dimensions apply to optional longer flue kit (F-181XX2TKS)

RAVEL 400C Gas Stove



Ravel Gas Stove shown inset with black handle and control lever. Available as optional extras.

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

Propane

WATCH VIDEO

Scan QR Code

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

Pre-Cast*

GAS CONSUMPTION - NATURAL



Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

82% EFFICIENCY

See page 85 for energy efficiency class

GAS CONSUMPTION - LPG



Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

84% EFFICIENCY


The Ravel Stove is a stunning addition to any open fireplace. Based on the proven under-log burner system of the highly successful Ravel gas fire.

This gas stove version features crisp and clean lines only possible with the light weight aluminium extrusion employed in this design. Suitable for use with Class 1, Class 2 and precast flues.* The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame effect.
Also in available in electric. See electric fires section at the rear of the brochure.

DIMENSIONS




A) 464mm
B) 584mm
C) 127mm
D) 502mm
E) 100mm
F) 289mm
G) 315mm
H) 67mm
I) 515mm



*Precast flue/Rear vent kit is ordered separately.

Note: The Ravel 400C is now also available in Balanced Flue. See pages 52-53

REAR FLUE KIT SPIGOT DIMENSIONS



A) 256mm
B) 176mm
C) 30mm

RAVEL 400T Gas Stove | (Asti 750 Chamber Suite) Limestone



HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

WATCH VIDEO

Scan QR Code


FLUE OPTIONS

Brick Chimney

Pre-Fabricated

Pre-Cast*


GAS CONSUMPTION - NATURAL



82% EFFICIENCY

See page 85 for energy efficiency class

GAS CONSUMPTION - LPG




84% EFFICIENCY

The Ravel 400T gas stove is a beautiful timeless addition to any room. The product features all the benefits of the proven Ravel burner system.

The stove is easy to control with a simple slide lever located below the glass screen. It features a light weight aluminium casting which provides crisp and clean lines, aesthetics are at the heart of this product. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low. And, just like the Ravel 400C, it can be installed into Class 1, Class 2 and precast flues*. The Ravel 400T is also available as a balanced flue model (see pages 52-53). **Also in available in electric. See electric fires section at the rear of the brochure.**

DIMENSIONS




A) 464mm
B) 580mm
C) 133mm
D) 502mm
E) 100mm
F) 289mm
G) 320mm
H) 66.5mm
I) 515mm

*Precast flue kit is ordered separately.

CHAMBER DIMENSIONS

A) 1020mm
B) 450mm
C) 1000mm
D) 25mm




The Asti Chamber Suite can be ordered as a package with either the 400C or 400T gas stoves.

The mantel dimensions can be found on page 15. The package includes mantel, hearth, chamber and back hearth.

REAR FLUE KIT SPIGOT DIMENSIONS

A) 256mm
B) 176mm
C) 30mm



RAVEL 400 BF Gas Stoves



Inset shows Ravel 400C BF

HE

Images shown with optional false vertical flue kit installed.

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Balanced Flue

Must be fitted to an external wall

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard on 400C models. Black handle is an optional extra.

GAS CONSUMPTION

83% EFFICIENCY



Heat Input (High)

Heat Input (Low)

Heat Output (High)

Heat Output (Low)


See page 85 for energy efficiency class


The hugely successful Ravel 400 gas stoves will now be available as Balanced Flue versions. Both the 400C and 400T models can now be installed into a property with no chimney.

The products feature all the benefits of the Ravel gas fire range, with under-log burners and a turndown function which keeps the flame picture alive on low setting. A false vertical flue kit is also available as an option to create the authentic look of a chimney installation. The Asti 750 Chamber Suite is also available to order as a complete package – see page 51 for full details.

Dimensions


400T BF






A) 464mm
B) 580mm
C) 502mm
D) 100mm
E) 290-580mm
F) 289mm
G) Ø151.5mm
H) 483.5mm
I) 320mm

400C BF





A) 464mm
B) 580mm
C) 502mm
D) 100mm
E) 290-580mm
F) 289mm
G) Ø151.5mm
H) 483.5mm
I) 320mm

Note: A vertical false flue kit is also available as an optional extra.

RAVEL 500C Gas Stove

NEW FOR WINTER 2026



HE

Images shown with optional false vertical flue kit installed.

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

STOVE HANDLE OPTIONS



Note: Satin handle is supplied as standard. Black handle is an optional extra.

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

*Do not confuse with pre-cast


GAS CONSUMPTION - NATURAL

5.2kW	3.2kW	4.1kW	2.4kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


87% EFFICIENCY

See page 85 for energy efficiency class

DIMENSIONS



A) 530mm
B) 622mm
C) 127mm
D) 568mm
E) 100mm
F) 289mm
G) 320mm
H) Tbc



NEW for our 2027 gas fire range is the Ravel 500C Gas Stove.

This large format contemporary gas stove with clean lines and large viewing window was designed to add a touch of class to even the grandest of fireplaces. Utilizing the unique under log burner technology that the Ravel range has become synonymous for, the fire can be turned to low while still retaining an impressive flame picture. Suitable for class 1 and class 2 flues and natural gas installations.

RAVEL 600 CL (Asti 600CL Suite) Limestone



CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

GAS CONSUMPTION - NATURAL

6.7kW	4.6kW	5.0kW	3.2kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82.7% EFFICIENCY


See page 85 for energy efficiency class

NEW for our 2027 gas fire range is the Ravel 600CL.

Developed to appeal to the customer who require a more landscape, compact version of our already successful Ravel 600 but with the introduction of our new Clean line, no edge glass design. This helps to enhance the minimalist look and provide a large impressive viewing window. Utilizing the unique under log burner technology that the Ravel range has become synonymous for, the fire can be turned to low while still retaining an impressive flame picture. Suitable for class 1 and class 2 flues and natural gas installations.


Dimensions

EDGE



A) 598mm
B) 460mm
C) 18-32mm
D) 280mm
E) 526mm
F) 597mm

MANTEL DIMENSIONS



A) 1300mm
B) 925mm
C) 1280mm
D) 55mm
E) 650mm
F) 940mm
G) 449mm
H) 590mm
I) 72mm
J) 160mm
K) 25mm
L) 127mm
M) 380mm

Note: The Asti 600 Limestone suite is only available to suit the Edge style trim as shown.

RAVEL 600 CL | HIW

NEW FOR WINTER 2026



Ravel 600 CL Edge trim, installed as HIW.
Inset: Ravel 600 shown with standard (wide) trim.

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

GAS CONSUMPTION - NATURAL

6.7kW	4.6kW	5.0kW	3.2kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

82.7% EFFICIENCY


See page 85 for energy efficiency class

NEW for our 2027 gas fire range is the Ravel 600CL

Developed to appeal to the customer who require a more landscape, compact version of our already successful Ravel 600 but with the introduction of our new Clean line, no edge glass design. This helps to enhance the minimalist look and provide a large impressive viewing window. Utilizing the unique under log burner technology that the Ravel range has become synonymous for, the fire can be turned to low while still retaining an impressive flame picture. Suitable for class 1 and class 2 flues and natural gas installations.


Dimensions

EDGE



A) 598mm
B) 460mm
C) 18-32mm
D) 280mm
E) 526mm
F) 597mm

STANDARD



A) 747mm
B) 609mm
C) 10mm
D) 280mm
E) 526mm
F) 597mm

RAVEL 890 CL | (Asti 890 CL Suite) Limestone

NEW FOR WINTER 2026

HE



CONTROL
Slide

FUEL BED
Log

FUEL
Natural Gas

WATCH VIDEO

Scan QR Code

FLUE OPTIONS
Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

GAS CONSUMPTION - NATURAL

7.7kW	5.7kW	5.75kW	4.0kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

83% EFFICIENCY


See page 85 for energy efficiency class


NEW for our 2027 gas fire range is the Ravel 890 CL.

Developed to fulfill the demand for customers who require a slightly larger appliance than our already successful Ravel 800 but with the introduction of our new Clean line, no edge glass design to help enhance the minimalist look and provide a large impressive viewing window. Utilizing the unique under log burner technology that the Ravel range has become synonymous for, the fire can be turned to low while still retaining an impressive flame picture. Suitable for class 1 and class 2 flues and natural gas installations.

Dimensions


EDGE






A) 888mm
B) 415mm
C) 18-32mm
D) 280mm
E) 436mm
F) 887mm


STANDARD






A) 947mm
B) 474mm
C) 10mm
D) 280mm
E) 436mm
F) 887mm

MANTEL DIMENSIONS





A) 1450mm
B) 955mm
C) 1430mm
D) 55mm
E) 680mm
F) 1030mm
J) 160mm
K) 25mm
L) 183mm
M) 380mm

EDGE TRIM

G) 406mm
H) 930mm
I) 128mm

STANDARD TRIM

G) 445mm
H) 897mm
I) 100mm

RAVEL 890 CL | HIW

NEW FOR WINTER 2026



Ravel 890 CL trim, (Standard wider trim shown inset).

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated*

*Do not confuse with pre-cast

GAS CONSUMPTION - NATURAL

7.7kW	5.7kW	5.75kW	4.0kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

83% EFFICIENCY


See page 85 for energy efficiency class

NEW for our 2027 gas fire range is the Ravel 890 CL.

Developed to fulfill the demand for customers who require a slightly larger appliance than our already successful Ravel 800 but with the introduction of our new Clean line, no edge glass design to help enhance the minimalist look and provide a large impressive viewing window. Utilizing the unique under log burner technology that the Ravel range has become synonymous for, the fire can be turned to low while still retaining an impressive flame picture. Suitable for class 1 and class 2 flues and natural gas installations."


Dimensions

EDGE



A) 888mm
B) 415mm
C) 18-32mm
D) 280mm
E) 436mm
F) 887mm

STANDARD



A) 947mm
B) 474mm
C) 10mm
D) 280mm
E) 436mm
F) 887mm

BF960SL | Balanced Flue



Optional trim colour inlays now available in Black or Black Nickel, please ask your retailer for details

HE

FLUE OPTION

Balanced Flue

Must be fitted to an external wall

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

GAS CONSUMPTION

86% EFFICIENCY

6.0kW	2.9kW	4.6kW	2.1kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


See page 85 for energy efficiency class

The BF960SL balanced flue gas fire is suitable for homes without a chimney.

This versatile and efficient slimline hole in the wall fire can be installed onto any outside wall of the home and generates a contemporary and stylish centrepiece for the room. This appliance can be installed directly into a cavity wall yet provides probably the deepest fuel bed effect for a product of its type. Coupled with a reflective black glass lining, this gas fire delivers the ultimate dancing flame effect and ceramic log layout.


Dimensions

TRIM



A) 1150mm
B) 624mm

APPLIANCE




A) 1198mm
B) 666mm
C) 1138mm
D) 608mm
E) 174mm
F) 13mm
G) 29mm
H) 183mm
I) 151mm
J) 523mm
K) 862mm
L) 332mm
M) 270mm - 725mm
N) 400mm
O) 206mm

Ellipsis

Manual control only





HE

NOTE: GRANITE SLIPS **NOT** INCLUDED

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated
- Pre-Cast

CONTROLS

- Manual Electronic*

FUEL

- Natural Gas

FUEL BEDS

- Coal

ELLIPSIS TRIM OPTIONS



4 Sided Chrome/Black



Satin/ Black



Chrome/ Black

Also available in 3 sided for hearth mounted version

This beautifully styled hole in the wall appliance produces a powerful output.

Its warmth will transform your living environment. The Ellipsis is suitable for Class 1 and Class 2 flue types and is available in Coal only. The Ellipsis is available in open fronted or glass fronted HE format. This product is only available as manual control.

The Wildfire Ellipsis combines style, efficiency and space saving to provide the ultimate solution for an open fronted gas or glass fronted fire. If you are looking for realism coupled with powerful heat whilst retaining efficiency then this is the product for you.

GAS CONSUMPTION

For inputs and outputs and efficiency classes refer to the relevant pages as below:


OPEN FRONTED

(REFER TO MONTESE PAGE 80)
(REFER TO CERALIS PAGE 82)

GLASS FRONTED


(REFER TO CRESSIDA PAGE 74)

Dimensions



OPEN FRONTED

A) 512mm
B) 403mm
C) 660mm (HIW)
C) 607mm (3 Sided)
D) 553mm
E) 173mm
F) 104mm
G) 358mm



GLASS FRONTED

A) 512mm
B) 403mm
C) 660mm (HIW)
C) 607mm (3 Sided)
D) 553mm
E) 198mm
F) 174mm
G) 358mm

HE 950L | (Asti Suite) Limestone



FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated
- *Pre-Cast

*When ordered as PCF model
55mm spacer required

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

GAS CONSUMPTION

6.9kW	3kW	4.6kW	1.9kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


75% EFFICIENCY

See page 85 for energy efficiency class

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.


Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

DIMENSIONS



A) 800mm
B) 520mm
C) 620mm
D) 165mm (Standard)
D) 220mm (PCF)
E) 110mm (Standard)
E) 55mm (PCF)
F) 553mm

MANTEL DIMENSIONS



A) 1250mm
B) 1320mm
C) 932mm
D) 400mm
E) 225mm (Standard)
E) 280mm (PCF)
F) 165mm (Standard)
F) 220mm (PCF)
G) 803mm
H) 624mm
I) 60mm
J) 99mm

HE 950L | (Seville Suite) Micro Marble



HE

Shown in white and grey but also available in all white

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated
- *Pre-Cast

*When ordered as PCF model 55mm spacer required

STANDARD MANTEL FINISH OPTIONS

White | Grey

Seville Suite available with or without Grey inner border.

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas

GAS CONSUMPTION

75% EFFICIENCY


6.9kW	3kW	4.6kW	1.9kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.


Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

DIMENSIONS



A) 800mm
B) 520mm
C) 620mm
D) 165mm (Standard)
D) 220mm (PCF)
E) 110mm (Standard)
E) 55mm (PCF)
F) 553mm

MANTEL DIMENSIONS



A) 1320mm
B) 1320mm
C) 967mm
D) 400mm
E) 235mm (Standard)
E) 290mm (PCF)
F) 165mm (Standard)
F) 220mm (PCF)
G) 803mm
H) 624mm

HE 900 | (Avellino Suite) Micro Marble



HE

Shown in all white but also available in white and grey (see previous page)

Shown as standard version. Also available for Precast Flue.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated
- *Pre-Cast

*When ordered as PCF model 55mm spacer required

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas

STANDARD MANTEL FINISH OPTIONS

White | Grey

Available with grey inner border - see similar detail on the Seville Suite - page 70.

GAS CONSUMPTION

83% EFFICIENCY

6.75kW	3kW	5.1kW	2.1kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class


The HE900 is the flagship model from Wildfire, the ultimate in fireplace technology.

The HE900 gas fire is revolutionary. It has been developed to create a European format appliance with expansive viewing glass that can be installed into a conventional 16" x 22" fireplace opening without any modification, or precast flue where the PCF version is ordered. This patent pending product is designed to fit UK fireplace openings with no need to alter the fabric of the building.

The HE900 features a stunning log and ember bed, easily controlled with a slide operating system which comes as standard. Finally, the ultimate fireplace solution has arrived...


The Avellino micro marble suite is available in white or white with grey border.

DIMENSIONS



A) 659mm
B) 640mm
C) 740mm
D) 165mm (Standard)
D) 220mm (PCF)
E) 110mm (Standard)
E) 55mm (PCF)
F) 553mm

MANTEL DIMENSIONS



A) 1320mm
B) 1320mm
C) 1159mm
D) 400mm
E) 235mm (Standard)
E) 290mm (PCF)
F) 165mm (Standard)
F) 220mm (PCF)
G) 663mm
H) 744mm

Cressida HE



HE

Cressida HE shown with Creative Contemporary Black Nickel/Black trim. Featured with Elgin & Hall Eliana micro marble surround in white.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

*Do not confuse with pre-cast

CONTROLS

- Slide
- Manual Electronic

FUEL BED

- Coal

FUEL

- Natural Gas

STANDARD TRIM OPTIONS



Brass | Satin | Chrome | Black | Bl.Nickel

Contemporary trim includes front bars.
Trims can be purchased without front bars.
For more details see page 84.

(only available slide control)

PROFILE TRIM OPTIONS (Black Bars)




Brass/ Black Profile | Satin/ Black Profile | Chrome/ Black Profile | Bl.Nickel/ Black Profile

CREATIVE TRIM OPTIONS



Brass/ Black | Satin/ Black | Chrome/ Black | Bl.Nickel/ Black

SLIDE LEVER OPTIONS



Brass | Chrome | Black Nickel | Black | Ezi-Grip


See page 85 for energy efficiency class

The Cressida HE is a high efficiency glass fronted appliance suitable for Class 1 and Class 2 flues.

The most efficient gas fire in the Wildfire range, with its deep bed and powerful output this appliance provides the ultimate in performance and style.


The flagship Cressida HE is supplied in either manual or slide control. The slide control features the latest patent pending Direct Slide technology. Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options in more detail on page 84.

GAS CONSUMPTION



87% EFFICIENCY

DIMENSIONS



A) 512mm
B) 403mm
C) 607mm
D) 557mm
E) 198mm
F) 174mm
G) 358mm

Pesaro HE



HE

Pesaro HE shown with Black Contemporary trim.

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

Pre-Cast

CONTROL

Slide

FUEL BED

Coal

FUEL

Natural Gas

STANDARD TRIM OPTIONS



Brass | Satin | Chrome | Black | Bl.Nickel

Contemporary trim includes front bars.
Trims can be purchased without front bars.
For more details see page 84.

(only available slide control)

PROFILE TRIM OPTIONS (Black Bars)



Brass/ Black Profile | Satin/ Black Profile | Chrome/ Black Profile | Bl.Nickel/ Black Profile

CREATIVE TRIM OPTIONS



Brass/ Black | Satin/ Black | Chrome/ Black | Bl.Nickel/ Black

SLIDE LEVER OPTIONS



Brass | Chrome | Black Nickel | Black | Ezi-Grip

See page 85 for energy efficiency class


The Pesaro HE is a high efficiency glass fronted appliance suitable for Precast, Class 1 and Class 2 flues.

Fuel saving efficiency was at the heart of the Pesaro HE mid depth design delivering an economic gas fire for both pre-cast and standard chimney installation with the convenience of high level slide control operation as standard.

Create the look you require with a choice of trim options shown on page 84.


Available with an optional 25mm spacer kit

GAS CONSUMPTION



84% EFFICIENCY

DIMENSIONS



A) 512mm
B) 352mm
C) 607mm
D) 553mm
E) 128mm
F) 111mm
G) 350mm

Cavello XE



XE

Cavello XE shown with Chrome Contemporary trim. Featuring the Be Modern Isabelle Micro Marble surround in manilla.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

*Do not confuse with pre-cast

CONTROLS

- Slide
- Manual Electronic

FUEL BED

- Coal

FUEL

- Natural Gas

STANDARD TRIM OPTIONS

Brass | Satin | Chrome | Black | Bl.Nickel

Contemporary trim includes front bars.
Trims can be purchased without front bars.
For more details see page 84.

(only available slide control)

PROFILE TRIM OPTIONS (Black Bars)

Brass/ Black Profile | Satin/ Black Profile | Chrome/ Black Profile | Bl.Nickel/ Black Profile

CREATIVE TRIM OPTIONS

Brass/ Black | Satin/ Black | Chrome/ Black | Bl.Nickel/ Black

SLIDE LEVER OPTIONS


Brass | Chrome | Black Nickel | Black | Ezi-Grip

See page 85 for energy efficiency class

GAS CONSUMPTION

6.75kW Heat Input (High)	3.5kW Heat Input (Low)
3.8kW Heat Output (High)	1.8kW Heat Output (Low)

DIMENSIONS



A) 512mm
B) 402mm
C) 607mm
D) 553mm
E) 198mm
F) 130mm
G) 355mm

The Cavello XE is a realistic open fronted gas fire with a powerful convecting heat exchanger to boost performance.

The Cavello is supplied with the XE System as standard, see page 9 for more details. This convector appliance will produce enough heat to satisfy most of the largest living rooms. It is available in manual and slide control with options of coal and pebble fuel bed effects.

The Wildfire Cavello XE can be supplied with a range of trims to suit the style that you are trying to achieve.
See full trim options on page 84.

Montese | (Cadiz Suite) Micro Marble



XE Available as XE model with canopy see page 9 for further information.

The Montese shown with Cadiz suite in white/ Grey. Also shown in all white (inset). Cadiz suite available with or without lights.

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

Pre-Cast

Optional spacer maybe required

CONTROLS

Slide

Manual Electronic

FUEL BED

Coal

FUEL

Natural Gas

STANDARD TRIM OPTIONS

Brass | Satin | Chrome | Black | Bl.Nickel

(only available slide control)

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 84.

PROFILE TRIM OPTIONS (Black Bars)

Brass/ Black Profile | Satin/ Black Profile | Chrome/ Black Profile | Bl.Nickel/ Black Profile

CREATIVE TRIM OPTIONS

Brass/ Black | Satin/ Black | Chrome/ Black | Bl.Nickel/ Black

SLIDE LEVER OPTIONS


Brass | Chrome | Black Nickel | Black | Ezi-Grip

STANDARD MANTEL FINISH OPTIONS


White | Grey

Cadiz suite available with or without grey inner border.

DIMENSIONS



A) 512mm
B) 403mm
C) 607mm
D) 553mm
E) 173mm
F) 104mm
G) 328mm



A) 1220mm
B) 1220mm
C) 1095mm
D) 400mm
E) 210mm
F) 45/75mm
G) 413mm
H) 565mm

The Montese is a stunning fire that will enhance any living room.

The Montese is an authentic looking coal effect gas fire, where realism is the most important factor.

By utilising the broad range of trims that Wildfire provides, you can choose the mood of your room from contemporary to traditional. It is available with pebble and coal fuel bed options and offers an impressive radiant heat output.

The Wildfire Montese is available in manual and slide control. See page 84 for full trim specifications.

GAS CONSUMPTION

6.75kW	3.5kW
Heat Input (High)	Heat Input (Low)
3.4kW	1.6kW
Heat Output (High)	Heat Output (Low)

See page 85 for energy efficiency class

Ceralis | (Salerno Suite) Micro Marble



XE Available as XE model with canopy see page 9 for further information.

The Ceralis shown with profile contemporary brass/ black trim. The Salerno 42" mantel in all white. Also available as 48". Also available in white/grey.

FLUE OPTIONS

Brick Chimney | Pre-Fabricated | Pre-Cast

CONTROLS

Slide | Manual

FUEL BED

Coal

FUEL

Natural Gas

STANDARD TRIM OPTIONS



Brass | Satin | Chrome | Black | BL.Nickel

(only available slide control)

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 84.

PROFILE TRIM OPTIONS (Black Bars)



Brass/ Black Profile | Satin/ Black Profile | Chrome/ Black Profile | Bl.Nickel/ Black Profile

CREATIVE TRIM OPTIONS



Brass/ Black | Satin/ Black | Chrome/ Black | Bl.Nickel/ Black

SLIDE LEVER OPTIONS



Brass | Chrome | Black Nickel | Black | Ezi-Grip


STANDARD MANTEL FINISH OPTIONS




White | Grey

Available with grey inner border. See similar detail on the Cadiz suite - page 48. Grey border option not available on 42"

DIMENSIONS



A) 512mm
B) 352mm
C) 607mm
D) 553mm
E) 123mm
F) 65mm
G) 300mm



A) 1070mm (42")
1220mm (48")
B) 1070mm (42")
1220mm (48")
C) 1050mm (42")
1095mm (48")
D) 400mm
E) 210mm
F) 45/75mm
G) 413mm
H) 565mm

The Ceralis is a powerful slimline appliance that will fit into all flue types. A spacer is available to enable it to be fitted into shallow precast flues.

The realistic fuel bed boasts a powerful flame picture for its size making the Wildfire Ceralis the obvious option when the flue available limits your choice of fire.

The Ceralis is available in manual and slide control with coal options only. The slimline fire is a stunning appliance which makes it the first choice for your precast flue. For full trim options see page 84.

GAS CONSUMPTION



Heat Input (High) | Heat Input (Low)

Heat Output (High) | Heat Output (Low)

See page 85 for energy efficiency class

Trim Options

Choose the trim and fret options from the selection on this page. The Standard and Creative trim and fret options will fit **MOST** of the products in this brochure. The Ellipsis trim will fit manual control fires only. For further fret options consult your retailer.

SLIDE LEVER OPTIONS



Brass | Chrome | Black Nickel | Black | Ezi-Grip

STANDARD TRIM OPTIONS



Brass | Satin | Chrome | Black | Bl. Nickel (Slide control only)



Contemporary Brass | Contemporary Satin | Contemporary Chrome | Contemporary Black | Contemporary Bl. Nickel (Slide control only)

CREATIVE TRIM OPTIONS



Brass/Black | Satin/Black | Chrome/Black | Bl. Nickel/Black



Contemporary Brass/Black | Contemporary Satin/Black | Contemporary Chrome/Black | Contemporary Bl. Nickel/Black

PROFILE TRIM OPTIONS (Black Bars)



Brass/Black Profile | Satin/Black Profile | Chrome/Black Profile



Bl. Nickel/Black Profile

ELLIPSIS TRIM OPTIONS



Satin/Black | Chrome/ Black | 4 Sided Chrome/ Black

Ellipsis trim only suitable for manual control appliances

RAVEL 550 TRIM OPTIONS



Brass/Black | Satin/Black | Chrome/ Black | Bl. Nickel/ Black



Anthracite | Stove Trim

RAVEL TRIM OPTIONS



Bl. Nickel/Chrome | Anthracite | Stove Trim

Note: Both available as 4 sided HIW

16" SPACER OPTION



AN ADDITIONAL 25MM SPACER IS AVAILABLE TO SUIT ALL 16" X 22" FIRES.

Technical Information

Use the chart below to quickly check the options available for each product contained in this brochure. You will also find the flue types which products can be installed into. For further information consult the manufacturer's installation instructions or ask your local retailer for further advice.

PAGE NO.	FIRES	COAL OPTION	LOG OPTION	MANUAL CONTROL	SLIDE CONTROL	PRE-CAST FLUE	CLASS II FLUE	CLASS I FLUE	BALANCED FLUE	XE INCLUDED	XE OPTIONAL	HE	LPG OPTION	EEI
10-11	RAVEL MW 1500		✓		✓				✓			✓		E
12-13	RAVEL MW 1720		✓		✓				✓			✓		E
14-17	RAVEL 750		✓		✓		✓	✓				✓	✓	D
18-23	RAVEL 800		✓		✓		✓	✓				✓	✓	D
24-25	RAVEL 800 BF		✓		✓				✓			✓		D
26-31	RAVEL 600		✓		✓		✓	✓				✓	✓	D
32-33	RAVEL 600 BF		✓		✓				✓			✓		D
34-37	RAVEL 550		✓		✓		✓	✓				✓		D
38-45	RAVEL 400		✓		✓		✓	✓				✓	✓	D
46-47	RAVEL 400 BF		✓		✓				✓			✓		D
48-51	RAVEL 400C & 400T STOVE		✓		✓	✓	✓	✓				✓	✓	D
52-53	RAVEL 400C/T BF STOVE		✓		✓				✓			✓		D
54-55	RAVEL 500C GAS STOVE		✓		✓		✓	✓				✓		D
56-57	RAVEL 600 CL		✓		✓		✓	✓				✓		E
58-59	RAVEL 600 CL HIW		✓		✓		✓	✓				✓		E
60-61	RAVEL 890 CL		✓		✓		✓	✓				✓		E
62-63	RAVEL 890 CL HIW		✓		✓		✓	✓				✓		E
64-65	BF960SL		✓		✓				✓			✓		C
66-67	ELLIPSIS HIW	✓		✓			✓	✓			✓	✓**		
68-71	HE950L (STD & PCF)		✓		✓	✓	✓	✓				✓		E
72-73	HE900 (STD & PCF)		✓		✓	✓	✓	✓				✓		E
74-75	CRESSIDA HE	✓		✓	✓		✓	✓				✓		C
76-77	PESARO HE	✓			✓	✓	✓	✓				✓		D
78-79	CAVELLO XE	✓		✓	✓		✓	✓		✓				F
80-81	MONTESE	✓		✓	✓	✓	✓	✓			✓			F
82-83	CERALIS	✓		✓	✓	✓	✓	✓			✓			F

*Open fronted only **Glass fronted only

Some things you need to know

The Ravel range of electric fires provide up to 2kW of instantaneous heat at the push of a button. Fully operated by remote control, supplied as standard, with the peace of mind of a manual override on the fire should you ever need it.

Boasting a realistic dancing flame picture that can be easily altered to suit your mood, with options to change the speed, colour and brightness... all with the added luxury of a warming underlog glow. Once you have discovered your favourite settings these can be conveniently stored into memory.

Utilising the latest LED technology that delivers a safe, convenient and affordable option, the Ravel range allows you the peace of mind to enjoy the warming flame effect with minimal running costs. Why not add the optional plug in LED lighting strip to add a glow to your chamber or fireplace, creating even more ambience in the heart of your living room.




- Choice of 2 freestanding stove designs
- Choice of 3 inset fire trims
- Full remote control
- Flame speed control
- Glowing logs
- Favourite setting storage
- Crackling logs audio
- 1kW and 2 kW heat settings
- Thermostatically controlled
- Flame dimming control
- Flame colour options
- Optional spacer
- Optional LED plug in ambient lighting



The Wildfire Electric range is guaranteed against manufacturing faults and component failures. The back up is provided by our own team of Wildfire engineers and have a guarantee period of either 1 or 5 years from purchase date.

Ravel electric fires come with a standard 5 year limited warranty which covers full parts and labour for the first two years and a parts warranty for the following 3 years, providing you with full peace of mind. See individual product page for the relevant guarantee period.

The distinguishing feature of a flame effect electric fire is the ability to provide a 'feel warm' comfort level with its' mesmerising glow at any time of the year. An energy efficient way to produce a stunning effect with minimal running costs. The instantaneous heat can be called upon on those colder evenings when its just not practical or cost efficient to turn on the central heating.





The multifunction remote control handset provides ultimate controllability for your electric appliance. From 'Normal' operating mode where the appliance will run continually until the required temperature is set, to daily or weekly timer settings to give you complete control over the heating function.

A countdown timer is also included so the unit can be automatically powered down after a predetermined length of time.

This beautifully styled remote features an internal thermostat to ensure it senses the right temperature in the room. An LCD display features all of the control functions available including flame setting and flame intensity.



HE 900E

(Avellino Suite) Micro Marble

for Flat Wall installation



CONTROL

Remote

FUEL BED

Log

FUEL

Electric


STANDARD MANTEL FINISH OPTIONS

White

Grey

Available with grey inner border - see similar detail on the Seville Suite - page 62.

DIMENSIONS



A) 1320mm
B) 1320mm
C) 1159mm
D) 400mm
E) 235mm
F) 660mm
G) 740mm

Heat Settings: High - 2kW | Low - 1kW

The HE900E Avellino is a 52" flat to wall marble electric fireplace suite.

This fully electronic remote control fireplace offers 7 day thermostatic operation. The suite is available in all white or white with a distinctive grey highlight. A variety of flame effects provide a great solution to suit the mood for the day.

1 year guarantee (see page 86).

HE 950LE | (Seville Suite) Micro Marble

for Flat Wall installation



CONTROL

Remote

FUEL BED

Log

FUEL


Electric

STANDARD MANTEL FINISH OPTIONS

White

Grey

DIMENSIONS



A) 1320mm
B) 1320mm
C) 967mm
D) 400mm
E) 235mm
F) 800mm
G) 621mm

Heat Settings: High - 2kW | Low - 1kW

The HE950LE Seville is a 52" flat to wall marble electric fireplace suite.

This incredible fireplace has been launched to complement the already successful, multi award winning HE950L Seville gas suite. It is available in the same flawless micro marble colour options, white or white with grey slip highlights. The appliance is fully thermostatic and has timers to allow heating to take place at the appropriate times.

1 year guarantee (see page 86).

RAVEL 400e | (Black Nickel/Chrome)



Featured with Penman collection New Haven surround

CONTROL

Remote

FUEL BED

Log

FUEL

Electric

TRIM OPTIONS



Bl.Nickel/ Chrome



Anthracite

WATCH VIDEO

Scan QR Code





Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information. **(approx 4m length)**

Following on the great success of the Ravel 400 gas fire range the Ravel 400e electric inset fire is the latest addition to the comprehensive Wildfire appliance family.


Whether it's a contemporary or traditional look required the decorative trim options have been carefully designed to grace any living room setting. See the next page for the anthracite model. Along with the latest LED flame picture and innovative glowing log technology this fire will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.

DIMENSIONS





A) 510mm
B) 611mm
C) 231mm
D) 552mm
E) 398mm
F) 197mm



*Optional Spacer

G) 498mm
H) 600.5mm
I) 45mm

Heat Settings: High - 2kW | Low - 1kW

RAVEL 400e | (Anthracite)



Featured with Penman collection New Haven surround

CONTROL

Remote

FUEL BED

Log

FUEL

Electric

TRIM OPTIONS



Bl.Nickel/ Chrome



Anthracite

WATCH VIDEO

Scan QR Code





Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information. **(approx 4m length)**

Following on the great success of the Ravel 400 gas fire range the Ravel 400e electric inset fire is the latest addition to the comprehensive Wildfire appliance family.


Whether it's a contemporary or traditional look required the decorative trim options have been carefully designed to grace any living room setting. See the previous page for the black nickel and chrome model. Along with the latest LED flame picture and innovative glowing log technology this fire will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.

DIMENSIONS





A) 510mm
B) 611mm
C) 231mm
D) 552mm
E) 398mm
F) 197mm



*Optional Spacer

G) 498mm
H) 600.5mm
I) 45mm

Heat Settings: High - 2kW | Low - 1kW

RAVEL 400e | (Inset Stove)



Featured with Penman collection Monza surround

CONTROL

Remote

FUEL BED

Log

FUEL


Electric

WATCH VIDEO

Scan QR Code



Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information. **(approx 4m length)**





Optional decorative black handle available

Following on the great success of the Ravel 400 inset gas stove the Ravel 400e electric Inset stove is the latest addition to the comprehensive Wildfire appliance family.


This appliance really delivers a traditional stove feel and will provide the elegance to enhance any living room setting. See the previous two pages for the more contemporary fascia available for this fire. The appliance offers latest LED flame picture and innovative glowing log technology and will surely bring a warm glow to the heart of your home. Easy to use remote control with a manual over ride is standard, and you can even control the fire with your mobile phone. With everything at hand, on/off, flame colour, flame speed and temperature settings, all accompanied with the added option of the sound of crackling logs.

DIMENSIONS





A) 561mm
B) 630mm
C) 586mm
D) 231mm
E) 552mm
F) 398mm
G) 197mm



*Optional Spacer

G) 498mm
H) 600.5mm
I) 45mm

Heat Settings: High - 2kW | Low - 1kW

RAVEL 400Ce Electric Stove



Featured with Penman collection Navarra staggered chamber

CONTROL

Remote

FUEL BED

Log

FUEL

Electric

WATCH VIDEO

Scan QR Code




Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information. **(approx 4m length)**




Optional decorative black handle available

Optional dummy flue available. Ask retail for details.

DIMENSIONS





A) 502mm
B) 580mm
C) 320mm
D) 465mm
E) 290mm

Heat Settings: High - 2kW | Low - 1kW

A log burning stove has often been at the heart of most homes, offering a natural warming centre piece for the living space. Wildfires new Ravel 400Ce electric stove has been lovingly developed to emulate that look.

Creating the feel and sound of a real stove but without the mess. Utilizing the latest LED technology that creates an impressive realistic flame picture with glowing logs shrouded with a choice of either a contemporary clean line door or a classic tracery door design. Easy to use full remote control is standard with a manual over ride allowing on/off, heat settings, crackling log sound and flame colour / speed control at your fingertips. The appliance can also be fully controlled using an APP on your mobile phone.

RAVEL 400Te Electric Stove



Featured with Penman collection Rustic standard brick chamber

CONTROL

Remote

FUEL BED

Log

FUEL

Electric

WATCH VIDEO


Scan QR Code



Why not add the plug in ambient lighting kit to your new fire, an optional extension lead is also available. Please ask your retailer for more information. **(approx 4m length)**

Optional dummy flue available. Ask retail for details.

DIMENSIONS



A) 502mm
B) 580mm
C) 320mm
D) 465mm
E) 290mm

Heat Settings: High - 2kW | Low - 1kW

The 400Te Electric Stove is the more traditional version of the popular 400C stove design. The new Ravel 400 series electric stoves have been lovingly developed to emulate the look of a real stove but without any of the mess.

Utilizing the latest LED technology that creates an impressive realistic flame picture with glowing logs shrouded with a choice of either a contemporary clean line door or a classic tracery door design. Easy to use full remote control is standard with a manual over ride allowing on/off, heat settings, crackling log sound and flame colour / speed control at your fingertips. The appliance can also be fully controlled using an APP on your mobile phone.

Marble and Trim options electrical

	AVELLINO HE900E	SEVILLE HE950LE	RAVEL 400e 16" ELECTRIC	RAVEL 400e ELECTRIC INSET STOVE	RAVEL 400Ce & 400Te ELECTRIC STOVE
MARBLE COLOURS	W / WG	W / WG	N/A	N/A	N/A
TRIM OPTION	As pictured	As pictured	An / BN	Stove Trim	N/A
REMOTE CONTROL	Yes	Yes	Yes	Yes	Yes
THERMOSTATIC	Yes	Yes	Yes	Yes	Yes
PROGRAMMABLE TIMER	Yes	Yes	Sleep Timer	Sleep Timer	Sleep Timer
FLAME COLOUR SETTINGS	3	3	3	3	3
FLAME INTENSITY SETTINGS	5	5	5	5	5
MAX HEATER OUTPUT	2kW	2kW	2kW	2kW	2kW
SPACER OPTION	N/A	N/A	See product page	See product page	See product page

KEY


Marble Colours: **W:** White **WG:** White with Grey Slips

Trim Options: **An:** Anthracite **BN:** Black Nickel/Black

MARBLE COLOURS



White



Grey

TRIM OPTIONS



Bl. Nickel/ Black



Anthracite



Stove Trim

PAGE NO.	ELECTRIC FIREPLACE SUITE	HEARTH WIDTH	HEARTH DEPTH	SHELF WIDTH	SHELF DEPTH	OVERALL HEIGHT
80-81	AVELLINO HE900E	1320mm	400mm	1320mm	290mm	1159mm
82-83	SEVILLE HE950LE	1320mm	400mm	1320mm	290mm	967mm





All Enquiries
sales@hearthproducts.co.uk

Telephone
01785 225401

Fax
01785 225501

HEARTH PRODUCTS

Hearth Products Ltd, Unit 14 Brindley Close,
Tollgate Industrial Estate, Stafford ST16 3SU

www.wildfiregas.co.uk
www.wildfireelectric.co.uk

Scan the QR code with your mobile device to be directed to the Wildfire website.

All details in this brochure are for illustrative purposes only. We reserve the right to change details due to constant product improvement. Always check specifications with your retailer prior to purchase.